

WILDLIFE CONSERVATION AND NATIONAL PARKS ACT
(Cap. 38:01)

CONTROLLED HUNTING AREAS (AMENDMENT) ORDER, 2007
(Published on 28th September, 2007)

ARRANGEMENT OF PARAGRAPHS

PARAGRAPH

1. Citation
2. Amendment of the Fourth Schedule to Cap. 38:01

IN EXERCISE of the powers conferred on the Minister of Environment, Wildlife and Tourism by section 16 (2) of the Wildlife Conservation and National Parks Act, the following Order is hereby made —

1. This Order may be cited as the Controlled Hunting Areas (Amendment) Order, 2007. Citation
2. The Fourth Schedule to the Wildlife Conservation and National Parks Act is amended —
 - (a) by substituting, the Controlled Hunting Area boundary descriptions for Ngamiland (NG/1 to NG/52) with the following new entries for the Controlled Hunting Area boundary descriptions for Ngamiland (NG/1 to NG/52) — Amendment
of the Fourth
Schedule to
Cap. 38:01

“CONTROLLED HUNTING AREA DESCRIPTIONS – NGAMILAND DISTRICT

1. *Controlled Hunting Area NG/1*

Commencing at a point marked NG/1/NA (app. coord. 34E499970N7974940), being a point on a cutline indicating the international boundary of Botswana with Namibia at the western end of the Caprivi Strip, indicated by an iron standard set in concrete marked 17, the boundary follows the said cutline eastwards (86°) for app. 75km to a point marked NG/1/7/NA (app. coord. 34E574680N7980060), indicated by an iron standard set in concrete marked 5; thence follows a straight line south-eastwards (155°) for app. 9km to a point marked NG/1/7/A (app. coord. 34E578560N7971750), being the north-eastern corner of the Kgomokgwana Quarantine Camp fence, indicated by an iron standard set in concrete marked 282; thence follows the said fence south-eastwards (147°) for app. 12km to a point marked NG/1/7/B (app. coord. 34E584980N7961790), being the point of intersection with the track from Shakawe to the Kgomokgwana Quarantine Camp kraal, indicated by an iron standard set in concrete marked 280; thence follows the said track south-westwards (236°) for app. 7km to a point marked NG/1/7/C (app. coord. 34E579400N795807°) being the point of intersection with the northernmost end of the old trek route cutline, indicated by an iron standard set in concrete marked 29; thence follows the said cutline southward (164°) for app. 30km to a point marked NG/1/7/D (app. coord. 34E587820N7928980), being the point of intersection with a road to Tsodilo Village from the Shakawe/Gumare road near Ncamasere, indicated by an iron standard set in concrete marked 20; thence follows the said cutline southwards (175°), for app. 8km to a point marked NG/1/2/7 (app. coord. 34E588510N7920720), being the point of intersection with a track to Tsodilo Village from the Shakawe/Gumare road near Sepopa, indicated by an iron standard set in concrete marked 230; thence follows the said track westwards, (271°) for app. 3km to a point marked NG/1/2/6/A (app. coord. 34E585670N7921120), being a point on

13

the said track, indicated by an iron standard set in concrete marked 22; thence follows a straight line northwards (348°) for app. 11km to a point marked NG/1/6/C (app. coord. 34E583390N7931770), being a point, indicated by an iron standard set in concrete marked 23; thence follows a straight line north-westwards (319°) for app. 7km to a point marked NG/1/6/B (app. coord. 34E578760N7937010), being a point, indicated by an iron standard set in concrete marked 24; thence follows a straight line westwards (291°) for app. 5km to a point marked NG/1/6/A (app. coord. 34E574520N7938660) being a point, indicated by an iron standard set in concrete marked 25; thence follows a straight line south-westwards (239°) for app. 5km to a point marked NG/1/6/E (app. coord. 34E570270N7936130), being a point, indicated by an iron standard set in concrete marked 26; thence follows a straight line southwards (183°) for app. 4km to a point marked NG/1/6/D (app. coord. 34E570030N7932090), being a point, indicated by an iron standard set in concrete marked 27; thence follows a straight line southwards (161°) for app. 9km to a point marked NG/1/2/6/B (app. coord. 34E573030N7923500), being a point on a track, indicated by an iron standard set in concrete marked 19; thence follows the said track westwards, southwards and westwards (281°) for app. 43km to a point marked NG/1/2 (app. coord. 34E530080N7921870), being a point on the track at Xa'bacha station 1 cattlepost, indicated by an iron standard set in concrete marked 21; thence follows a straight line westwards (278°) for app. 30km to a point marked NG/1/2/NA (app. coord. 34E499970N7926020) being a point on a cutline indicating the international boundary of Botswana with Namibia, indicated by an iron standard set in concrete marked 16; thence follows the said boundary due north (0°) for app. 49km to the point of commencement.

2. Controlled Hunting Area NG/2

Commencing at a point marked NG/1/2/NA (app. coord. 34E499970N7926020), being a point on a cutline indicating the international boundary of Botswana with Namibia, indicated by an iron standard set in concrete marked 16, the boundary follows a straight line eastwards (98°) for app. 31km to a point marked NG/1/2 (app. coord. 34E530080N7921870), being a point on the track at Xa'bacha station 1 cattlepost, indicated by an iron standard set in concrete marked 21; thence follows the said track eastwards, northwards and eastwards (91°) for app. 73km to a point marked NG/2/7 (app. coord. 34E602960N7920560), being the point of intersection with a cutline, indicated by an iron standard set in concrete marked 28; thence follows the said cutline southwards (174°) for app. 42km to a point marked NG/2/3/7/8 (app. coord. 34E607590N7878830), being the point of intersection with the track from the Shakawe/Gumare road to Nxauxau, indicated by an iron standard set in concrete marked 60; thence follows the said track westwards (285°) for app. 111km to a point marked NG/2/3/NA (app. coord. 34E499970N7906980), being a point on a cutline indicating the international boundary of Botswana with Namibia, indicated by an iron standard set in concrete marked 42; thence follows the said international boundary due north (0°) for app. 19km to the point of commencement.

3. Controlled Hunting Areas NG/3

Commencing at a point marked NG/2/3/NA (app. coord. 34E499970N7906980), being a point where the track from Nxauxau intersects with a cutline indicating the international boundary of Botswana with Namibia, indicated by an iron standard set in concrete marked 42, the boundary follows the said track eastwards (105°) for app. 111km to a point marked NG/2/3/7/8 (app. coord. 34E607590N7878830), being the point of intersection with a cutline, indicated by an iron standard set in concrete marked 60; thence follows the said cutline southwards (184°) for app. 36km to a point marked NG/3/8 (app. coord. 34E604860N7842600), being the point of intersection with the track from the Shakawe/Gumare road to Nxauxau, indicated by an iron standard set in concrete marked 125; thence follows a straight line due south (180°) for app. 56km to a point marked NG/3/5/8 (app. coord. 34E604610N7786280), being

a point on the track from the Shakawe/Gumare road to Xaixai, indicated by an iron standard set in concrete marked 124; thence follows the said track westwards (2790) for app. 100km to a point in Xaixai Village marked NG/3/4/A (app. coord. 34E506190N7802490), indicated by an iron standard set in concrete marked 120; thence follows a track northwards (3⁰) for app. 27km to a point marked NG/3/4/B (app. coord. 34E507480N7829490), being a point indicated by an iron standard set in concrete marked 121; thence follows a straight line westwards (268⁰) for app. 8km to a point marked NG/3/4/NA (app. coord. 34E499980N7829250), being a point on a cutline indicating the international boundary of Botswana with Namibia, indicated by an iron standard set in concrete marked 102; thence follows the said cutline due north (0⁰) for app. 78km to the point of commencement.

4. Controlled Hunting Area NG/4

Commencing at a point marked NG/3/4/NA (app. coord. 34E499980N7829250), being a point on a cutline indicating the international boundary of Botswana with Namibia, indicated by an iron standard set in concrete marked 102, the boundary follows a straight line eastwards (880) for app. 8km to a point marked NG/3/4/B (app. coord. 34E507480N7829490), being a point indicated by an iron standard set in concrete marked 121; thence follows the said track southwards (183⁰) for app. 27km to a point in Xaixai Village marked NG/3/4/A (app. coord. 34E506190N7802490), indicated by an iron standard set in concrete marked 120; thence follows the said track eastwards (99⁰) for app. 68km to a point marked NG/3/4/5 (app. coord. 34E573080N7792390), being the point of intersection with the track leading to Gcwihaba, indicated by an iron standard set in concrete marked 119; thence follows the Gcwihaba track southwestwards (229⁰) for app. 22km to a point marked NG/4/5 (app. coord. 34E556290N7777710), being a point where the track diverges west to Gcwihaba and east to a water point, indicated by an iron standard set in concrete marked 126; thence follows a straight line south-westwards (229⁰) for app. 74km to a point marked NG/4/5/NA (app. coord. 34E499980N7729530), being a point on a cutline indicating the international boundary of Botswana with Namibia, indicated by an iron standard set in concrete marked 154; thence follows the said cutline due north (0⁰) for app. 100km to the point of commencement.

5. Controlled Hunting Area NG/5

Commencing at a point marked NG/3/4/5 (app. coord. 34E573080N7792390), being the point of intersection of the track from the Shakawe/Gumare road to Xaixai with the track leading to Gcwihaba, indicated by an iron standard set in concrete marked 119, the boundary follows the said track eastwards (101⁰) for app. 32km to a point marked NG/3/5/8 (app. coord. 34E604610N7786280), being a point on the track, indicated by an iron standard set in concrete marked 124; thence follows a straight line due south (180⁰) for app. 108km to a point marked NG/5/9/GH/1 (app. coord. 34E603980N7677900), being a point on the Ngamiland/Ghanzi District boundary, indicated by an iron standard set in concrete marked 158; thence follows the said district boundary due west (270⁰) for app. 104km to a point marked NG/5/GH/1/NA (app. coord. 34E499960N7678640), being a point on a cutline indicating the international boundary of Botswana with Namibia, indicated by a gate post marked GH158; thence follows the said cutline due north (0⁰) for app. 51km to a point marked NG/4/5/NA (app. coord. 34E499980N7729530), indicated by an iron standard set in concrete marked 154; thence follows a straight line north-eastwards (49⁰) for app. 74km to a point marked NG/4/5 (app. coord. 34E556290N7777710), where a track diverges west to Gcwihaba and east to a water point, indicated by an iron standard set in concrete marked 126; thence follows the said track north-eastwards (49⁰) for app. 22km to the point of commencement.

6. *Controlled Hunting Area NG/6*

Commencing at a point marked NG/1/6/A (app. coord. 34E574520N7936660), being a point indicated by an iron standard set in concrete marked 25, the boundary follows a straight line eastwards (111°) for app. 5km to a point marked NG/1/6/B (app. coord. 34E578760N7937010), indicated by an iron standard set in concrete marked 24; thence follows a straight line south-eastwards (139°) for app. 7km to a point marked NG/1/6/C (app. coord. 34E583390N7931770), indicated by an iron standard set in concrete marked 23; thence follows a straight line southwards (168°) for app. 11km to a point marked NG/1/2/6/A (app. coord. 34E585670N7921120), being the point of intersection with the road to Tsodilo Village from the Shakawe/Gumare road, indicated by an iron standard set in concrete marked 22; thence follows the said road westwards (281°) for app. 13km to a point marked NG/1/2/6/B (app. coord. 34E573030N7923500), indicated by an iron standard set in concrete marked 19; thence follows a straight line northwards (341°) for app. 9km to a point marked NG/1/6/D (app. coord. 34E570030N7932090), indicated by an iron standard set in concrete marked 27; thence follows a straight line northwards (3°) for app. 4km to a point marked NG/1/6/E (app. coord. 34E570270N7936130), indicated by an iron standard set in concrete marked 26; thence follows a straight line north-eastwards (59°) for app. 5km to the point of commencement.

7. *Controlled Hunting Area NG/7*

Commencing at a point marked NG/7/10/NA (app. coord. 34E581110N7981350), being a point on a cutline indicating the international boundary of Botswana with Namibia at the western bank of the Okavango River basin, indicated by an iron standard set in concrete marked 4, the boundary follows the said bank south-eastwards (132°) for app. 3km to a point marked NG/7/10/C (app. coord. 34E583310N7979340), being a point at the top of the Mohembo ferry slipway, indicated by an iron standard set in concrete marked 288; thence follows the Gumare road south-eastwards (143°) for app. 83km to a point marked NG/7/10/B (app. coord. 34E632910N7912440), being the junction of the road leading to Ikoga Village, indicated by an iron standard set in concrete marked 232; thence follows the said road north-eastwards (62°) for app. 3km to a point marked NG/7/10/CA (app. coord. 34E635280N7913710), being a point on the road into Ikoga Village from the Shakawe to Gumare road, indicated by an iron standard set in concrete marked 234; thence follows a straight line southeastwards (120°) for app. 6km to a point marked NG/7/10/24 (app. coord. 34E637100N7910570), being the point of intersection with the Thaoge River, indicated by an iron standard set in concrete marked 36; thence follows the Thaoge River southwards (173°) for app. 27km to a point marked NG/7/24/25 (app. coord. 34E643810N7884050), being a point in the middle of the Thaoge River, east of Wabe Lagoon, indicated by an iron standard set in concrete marked 48; thence in a straight line southwards (161°) for app. 19km to a point marked NG/7/8/25 (app. coord. 34E649820N7866500), being a point on the western buffalo fence, indicated by an iron standard set in concrete marked 68; thence in a straight line westwards (291°) for app. 25km to a point marked NG/7/8 (app. coord. 34E626300N7875320), being a point at the intersection of the Shakawe/Gumare road and the road leading to Qurube Village, indicated by an iron standard set in concrete marked 69; thence follows the track from the Shakawe/Gumare road to Nxauxau, westwards (281°) for app. 19km to a point marked NG/2/3/7/8 (app. coord. 34E607590N7878830), being the point of intersection with the said track and a cutline, indicated by an iron standard set in concrete marked 60; thence follows the said cutline northwards (354°) for app. 42km to a point marked NG/2/7 (app. coord. 34E602960N7920560), being the point of intersection with a track to Tsodilo Village, indicated by an iron standard set in concrete marked 28; thence follows the said track westwards (271°) for app. 15km to a point marked NG/1/2/7 (app. coord. 34E588510N7920720), being the point of intersection with a cutline, indicated by an iron standard set in concrete marked 230; thence follows the said

cutline northwards (355°) for app. 8km to a point marked NG/1/7/D (app. coord. 34E587820N7928980), being the point of intersection with a road to Tsodilo Village, indicated by an iron standard set in concrete marked 20; thence follows the said cutline northwards (344°) for app. 30km to a point marked NG/1/7/C (app. coord. 34E579400N7958070) being a point at the northernmost end of the old trek route cutline at an intersection with the track from the Kgomokwana Quarantine Camp kraal to Shakawe, indicated by an iron standard set in concrete marked 29; thence follows the said track north-eastwards (56°) for app. 7km to a point marked NG/1/7/B (app. coord. 34E584980N7961790), being a point on the Kgomokwana Quarantine Camp fence, indicated by an iron standard set in concrete marked 280; thence follows the said fence north-westwards (327°) for app. 12km to a point marked NG/1/7/A (app. coord. 34E578560N7971750) being the north-eastern corner of the fence, indicated by an iron standard set in concrete marked 282; thence in a straight line north-westwards (3350) for app. 9km to a point marked NG/1/7/NA (app. coord. 34E574680N7980060), being a point on the cutline, indicating the international boundary of Botswana with Namibia indicated by an iron standard set in concrete marked 5; thence follows the said cutline eastwards (790) for app. 7km to the point of commencement.

8. *Controlled Hunting Area NG/8*

Commencing at a point marked NG/2/3/7/8 (app. coord. 34E607590N7878830), being the point of intersection of the track from the Shakawe/Gumare road to Nxauxau with a cutline, indicated by an iron standard set in concrete marked 60, the boundary follows the said track eastwards (101°) for app. 19km to a point marked NG/7/8 (app. coord. 34E626300N7875320), being a point at the intersection of the Shakawe/Gumare road and the track leading to Qurube Village, indicated by an iron standard set in concrete marked 69; thence follows a straight line eastwards (111°) for app. 25km to a point marked NG/7/8/25 (app. coord. 34E649820N7866500), being a point at a bend in the western buffalo fence, indicated by an iron standard set in concrete marked 68; thence follows the said fence southwards (162°) for app. 77km to a point marked NG/8/9/29 (app. coord. 34E673860N7793460), being a point at a bend in the western buffalo fence, indicated by an iron standard set in concrete marked 118; thence follows a straight line southwestwards (242°) for app. 79km to a point marked NG/5/8/9 (app. coord. 34E604240N7755730), being a point indicated by an iron standard set in concrete marked 139; thence follows a straight line northwards (1°) for app. 31km to a point marked NG/3/5/8 (app. coord. 34E604610N7786280), being a point on the track from the Shakawe/Gumare road to Xaixai, indicated by an iron standard set in concrete marked 124; thence follows a straight line due north (0°) for app. 56km to a point marked NG/3/8 (app. coord. 34E604860N7842600), being the point of intersection with a cutline, indicated by an iron standard set in concrete marked 125; thence follows the said cutline northwards (4°) for app. 63km to the point of commencement.

9. *Controlled Hunting Area NG/9*

Commencing at a point marked NG/8/9/29 (app. coord. 34E673860N7793460), being a point at a bend in the western buffalo fence, indicated by an iron standard set in concrete marked 118, the boundary follows the said fence south-eastwards and north-eastwards (115°) for app. 33km to a point marked NG/9/29/30/35 (app. coord. 34E717620N7785930), being the point of intersection with the thalweg of the Xudum River, indicated by an iron standard set in concrete marked 123; thence follows the said river southwards (182°) for app. 31km to a point marked NG/9/35/38 (app. coord. 34E703180N7747840), being the point of intersection with the Maun/Ghanzi road, indicated by an iron standard set in concrete marked 246; thence follows the Maun/Ghanzi road south-westwards (246°) for app. 28km to a point marked NG/9/38 (app. coord. 34E677740N7736370), being a point at the junction of the Maun/Ghanzi and the Maun/Shakawe roads, indicated by an iron standard set in concrete marked 294; thence follows

a track from Sehitwa southwards (171^o) for app. 20km to a point marked NG/9/38/39 (app. coord. 34E681050N7716170), being a point at the junction of the said track and old Maun/Ghanzi road, indicated by an iron standard set in concrete marked 292; thence follows the old Maun/Ghanzi road south-westwards (221^o) for app. 51km to a point marked NG/9/39/GH/1 (app. coord. 34E647890N7677530), being the point of intersection with new Maun/Ghanzi road and the cutline indicating the Ngamiland/Ghanzi District boundary, indicated by an iron standard set in concrete marked 160; thence follows the said cutline due west (270^o) for app. 44km to a point marked NG/5/9/GH/1 (app. coord. 34E603980N7677900), being a point on the cutline, indicated by an iron standard set in concrete marked 158; thence follows a straight line due north (0^o) for app. 78km to a point marked NG/5/8/9 (app. coord. 34E604240N7755730), being a point indicated by an iron standard set in concrete marked 139; thence follows a straight line northeastwards (62^o) for app. 79km to the point of commencement.

10. *Controlled Hunting Area NG/10*

Commencing at a point marked NG/10/11/NA (app. coord. 34E583290N7981730), being a point on a cutline indicating the international boundary of Botswana with Namibia at the eastern bank of the Okavango River basin, indicated by an iron standard set in concrete marked 3, the boundary follows the said bank southwards (159^o) for app. 2km to a point marked NG/10/11 (app. coord. 34E584010N7979810), being a point at the top of the Mohembo ferry slipway, indicated by an iron standard set in concrete marked 290; thence follows the said Mohembo/Seronga road southeastwards (133^o) for app. 89km to a point marked NG/10/11/12 (app. coord. 34E649300N7919610), being a point on the said road in Seronga Village, indicated by an iron standard set in concrete marked 226; thence follows a road southwards (189^o) for app. 1km to a point marked NG/10/12 (app. coord. 34E649140N7918570), being a point on the said road at the Seronga boat jetty, indicated by an iron standard set in concrete marked 224; thence in a straight line south-westwards (243^o) for app. 1km to a point marked NG/10/12/24 (app. coord. 34E648430N7918210), being a point on the eastern bank of the Okavango River, indicated by an iron standard set in concrete marked 228; thence follows the middle of the Okavango River westwards (278^o) for app. 12km to a point marked NG/10/24 (app. coord. 34E636960N7919840), being a point in the middle of the Okavango River, north of Ikoga Lagoon, where the defunct Thaoge River branches off from the Okavango River, indicated by an iron standard set in concrete marked 35; thence follows the middle of the Thaoge River southwards (158^o) for app. 10km to a point marked NG/7/10/24 (app. coord. 34E640770N7910570), being a point in the middle of the said river, indicated by an iron standard set in concrete marked 36; thence in a straight line north-westwards (300^o) for app. 6km to a point marked NG/7/10/A (app. coord. 34E635280N7913710), being a point on the road into Ikoga Village from the Shakawe/Gumare road, indicated by an iron standard set in concrete marked 234; thence follows the said road south-westwards (242^o) for app. 3km to a point marked NG/7/10/B (app. coord. 34E632910N7912440), being the point of intersection with the Shakawe/Gumare road, indicated by an iron standard set in concrete marked 232; thence follows the said road northwestwards (323^o) for app. 83km to a point marked NG/7/10/C (app. coord. 34E583310N7979340), being a point at the top of the Mohembo ferry slipway, indicated by an iron standard set in concrete marked 288; thence follows the western bank of the Okavango River basin northwestwards (312^o) for app. 3km to a point marked NG/7/10/NA (app. coord. 34E581110N7981350) being a point on a cutline indicating the international boundary of Botswana with Namibia at the western bank of the Okavango River basin, indicated by an iron standard set in concrete marked 4; thence follows the said cutline eastwards (80^o) for app. 2km to the point of commencement.

11. *Controlled Hunting Area NG/ 11*

Commencing at a point marked NG/11/13/NA (app. coord. 34E630210N7990840), being a point on a cutline indicating the international boundary of Botswana with Namibia indicated by an iron standard set in concrete marked 1, the boundary follows a straight line eastwards (104°) for app. 17km to a point marked NG/11/13/A (app. coord. 34E646400N7986700), being a point indicated by an iron standard set in concrete marked 8; thence follows a straight line southwards (159°) for app. 17km to a point marked NG/11/13/B (app. coord. 34E652590N7970800), being a point indicated by an iron standard set in concrete marked 7; thence follows a straight line eastwards (98°) for app. 64km to a point marked NG/11/13/14 (app. coord. 34E715970N7961670), being a point on the northern buffalo fence at Trig. Station BPS 566; thence follows the said fence southwards (189°) for app. 15km to a point marked NG/11/12/14/16 (app. coord. 34E713650N7947350), being the point of intersection of the fence and the Savuti/Mohembo road, indicated by an iron standard set in concrete marked 10; thence follows the said road westwards, southwestwards and northwestwards (284°) for app. 134km to a point marked NG/10/11 (app. coord. 34E584010N7979810), being a point at the top of the Mohembo ferry slipway, indicated by an iron standard set in concrete marked 290; thence follows the eastern bank of the Okavango River basin northwards (339°) for app. 2km to a point marked NG/10/11/NA (app. coord. 34E583290N7981730), being the point of intersection with a cutline indicating the international boundary of Botswana with Namibia, indicated by an iron standard set in concrete marked 3; thence follows the said cutline eastwards (79°) for app. 48km to the point of commencement.

12. *Controlled Hunting Area NG/12*

Commencing at a point marked NG/11/12/14/16 (app. coord. 34E713650N7947350), being the point of intersection of the northern buffalo fence and the Savuti/Mohembo track, indicated by an iron standard set in concrete marked 10, the boundary follows the said fence south-westwards (233°) for app. 64km to a point marked NG/12/23/A (app. coord. 34E662610N7908730), being a point on the northern bank of Pepere Island at the southern end of the fence, indicated by an iron standard set in concrete marked 301; thence follows a straight line westwards (261°) for app. 2km to a point marked NG/12/23/A/24 (app. coord. 34E660670N7908430), being a point at the centre of the Okavango River, indicated by an iron standard set in concrete marked 300; thence follows the said river northwestwards (309°) for app. 16km to a point marked NG/10/12/24 (app. coord. 34E648430N7918210), being a point at the centre of the river, indicated by an iron standard set in concrete marked 228; thence follows a straight line north-eastwards (63°) for app. 1km to a point marked NG/10/12 (app. coord. 34E649140N7918570), being a point on a road ending at the Seronga boat jetty, indicated by an iron standard set in concrete marked 224; thence follows the said road northwards (9°) for app. 1km to a point marked NG/10/11/12 (app. coord. 34E649300N7919610), being the point of intersection of the road with the Mohembo/Savuti road, indicated by an iron standard set in concrete marked 226; thence follows the said road south-eastwards and north-eastwards (67°) for app. 71km to the point of commencement.

13. *Controlled Hunting Area NG/13*

Commencing at a point marked NG/11/13/NA (app. coord. 34E630210N7990840), being a point on a cutline indicating the international boundary of Botswana with Namibia at boundary beacon BP18/19-14 BPS 564, indicated by an iron standard set in concrete marked 1, the boundary follows the said cutline eastwards (1°) for app. 113km to a point marked NG/13/14/NA (app. coord. 34E742130N8008510) being the point of intersection with the middle of the Kwando River, indicated by an iron standard set in concrete marked 2; thence follows a straight line south-westwards (218°) for app. 30km to a point marked NG/13/14 (app. coord. 34E723580N7984710), being a point on the northern buffalo fence, at Trig. Station BPS 564;

thence follows a straight line southwards (1980) for app. 24km to a point marked NG/11/13/14 (app. coord. 34E715970N7961670), being a point on the northern buffalo fence, at Trig. Station BPS 566; thence follows a straight line westwards (278°) for app. 64km to a point marked NG/11/13/B (app. coord. 34E652590N7970800), indicated by an iron standard set in concrete marked 7; thence follows a straight line northwards (339°) for app. 17km to a point marked NG/11/13/A (app. coord. 34E646400N7986700), indicated by an iron standard set in concrete marked 8; thence follows a straight line westwards (2840) for app. 17km to the point of commencement.

14. *Controlled Hunting Area NG/14*

Commencing at a point marked NG/13/14/NA (app. coord. 34E742130N8008510), being the point of intersection of a cutline indicating the international boundary of Botswana with Namibia with the Kwando River, indicated by an iron standard set in concrete marked 2, the boundary follows the middle of the Kwando River southeastwards (152°) for app. 60km to a point marked NG/14/15/16/NA (app. coord. 34E771420N7954990), being a point in the middle of the said river, on the line of projection from iron standard marked 222, through and indicated by an iron standard set in concrete (app. coord. 34E804730N7973130), marked 9; thence follows a straight line westwards (274°) for app. 2km to point marked NG/14/16/C (app. coord. 34E768400N7955200), indicated by an iron standard set in concrete marked 222; thence follows a straight line westwards (255°) for app. 13km to a point marked NG/14/16/B (app. coord. 34E755890N7951760), being the point where the Savuti/Shumamorei track intersects with the Selinda spillway, indicated by an iron standard set in concrete marked 220; thence follows the most northern channel of the said spillway south-westwards (235°) for app. 20km to a point marked NG/14/16/A (app. coord. 34E739620N7940400), being the point of intersection with the Seronga/Savuti track, indicated by an iron standard set in concrete marked 11; thence follows the said track westwards (285°) for app. 27km to a point marked NG/11/12/14/16 (app. coord. 34E713650N7947350), being the point of intersection with the northern buffalo fence, indicated by an iron standard set in concrete marked 10; thence follows the said fence northwards (9°) for app. 15km to a point marked NG/11/13/14 (app. coord. 34E715970N7961670), being a point on the fence, at Trig. Station BPS 566; thence follows a straight line northwards (180) for app. 24km to a point marked NG/13/14 (app. coord. 34E723580N7984710), being a point at Trig. Station BPS 564; thence follows a straight line northwards (3330) for app. 30km to the point of commencement.

15. *Controlled Hunting Area NG/15*

Commencing at a point in the middle of the Kwando River at a point marked NG/15/CH/3/NA (app. coord. 34E804800N7977640), being the point of intersection with a cutline indicating Chobe National Park boundary, on the line of projection from iron standard marked 15, through and indicated by an iron standard set in concrete (app. coord. 34E770270N7955070), marked 14, the boundary follows the said cutline southwards (181°) for app. 47km to a point marked NG/15/18/CH/3 (app. coord. 34E803980N7926540), being the point of intersection with the Savuti-Seronga track, indicated by an iron standard set in concrete marked 15; thence follows the said track westwards (281°) for app. 41km to a point marked NG/15/16/18/20 (app. coord. 34E763490N7934130), being Trig. Station BPS 288; thence follows a straight line northeastwards (24°) for app. 11km to a point marked NG/15/16 (app. coord. 34E767880N7943960), being a point on the south bank of Zibadianja Lagoon at the beginning of the thalweg of the defunct Savuti River, indicated by an iron standard set in concrete marked 13; thence follows a straight line northwards (12°) for app. 11km to a point marked NG/14/15/16/NA (app. coord. 34E771420N7954990), being the point of intersection with the middle of the Kwando River, which forms the international boundary of Botswana with Namibia, on the line of projection from iron standard marked 222, through and indicated by an iron standard set in concrete (app. coord. 34E804730N7973130), marked 9; thence follows the middle of the said river northeastwards (620) for app. 39km to the point of commencement.

16. *Controlled Hunting Area NG/16*

Commencing at a point marked NG/11/12/14/16 (app. coord. 34E713650N7947350),

being the point of intersection of the Seronga/Savuti track with the northern buffalo fence, indicated by an iron standard set in concrete marked 10, the boundary follows the said track eastwards (105°) for app. 27km to a point marked NG/14/16/A (app. coord. 34E739620N7940400), being the point of intersection with the Magwegana or Selinda spillway, indicated by an iron standard set in concrete marked 11; thence follows the most northern channel of the said spillway northeastwards (55°) for app. 20km to a point marked NG/14/16/B (app. coord. 34E755890N7951760), being a point where the Savuti/Shumamorei track crosses the spillway, indicated by an iron standard set in concrete marked 220; thence follows a straight line eastwards (75°) for app. 13km to a point marked NG/14/16/C (app. coord. 34E768400N7955200), indicated by an iron standard set in concrete marked 222; thence follows a straight line eastwards (94°) for app. 2km to a point marked NG/14/15/16/NA (app. coord. 34E771420N7954990), being a point in the middle of the Kwando River which forms the international boundary of Botswana with Namibia, on the line of projection from iron standard marked 222, through and indicated by an iron standard (app. coord. 34E804730N7973130) set in concrete marked 9; thence follows a straight line southwards (192°) for app. 11km to a point marked NG/15/16 (app. coord. 34E767880N7943960), being a point on the southern bank of Zibadianja Lagoon at the beginning of the thalweg of the defunct Savuti River, indicated by an iron standard set in concrete marked 13; thence follows a straight line south-westwards (204°) for app. 11km to a point marked NG/15/16/18/20 (app. coord. 34E763490N7934130), being Trig. Station BPS 288; thence follows a straight-line south-westward (244°) for app. 53km to a point marked NG/16/20/22 (app. coord. 34E716400N7910860), being Trig. Station BPS 262; thence follows a straight line northwestwards (337°) for app. 16km to a point marked NG/12/16/22 (app. coord. 34E710230N7925370), being a point at a bend in the northern buffalo fence at Sandoroka Lagoon, indicated by an iron standard set in concrete marked 18; thence follows the said fence northwards (00°) for app. 22km to the point of commencement.

17. Controlled Hunting Area NG/17

Commencing at a point marked NG/17/28/31 (app. coord. 34E739220N7845130), being the point of intersection of the Moremi Game Reserve boundary and the thalweg of the Santantadibe River, indicated by an iron standard set in concrete marked 86, the boundary follows the said bank south-eastwards (139°) for app. 15km to a point marked NG/17/31/32 (app. coord. 34E749060N7833810), being a point on the northern bank of Gporoku Island, east of Ikamkum Lagoon, indicated by an iron standard set in concrete marked 97; thence follows a straight line westwards (251°) for app. 10km to a point marked NG/17/28/32 (app. coord. 34E740050N7830710) being a corner point in the Moremi Game Reserve boundary, indicated by an iron standard set in concrete marked 100; thence follows a straight line northeastwards (34°) for app. 2km to a point marked NG/17/28/A (app. coord. 34E741280N7832530) being a point on the eastern bank of the easterly channel of the Matsebe River, indicated by an iron standard set in concrete marked 231; thence follows the said channel northwards (348°) for app. 11km to a point marked NG/17/28/B (app. coord. 34E739130N7843090), being a point at the thalweg of the western channel of the Matsebe River, indicated by an iron standard set in concrete marked 229; thence follows a straight line northwards (30°) for app. 2km to the point of commencement.

18. *Controlled Hunting Area NG/18* Commencing at a point marked NG/15/16/18/20 (app. coord. 34E763490N7934130), being Trig. Station BPS 288, the boundary follows the Seronga/Savuti track eastwards (101°) for app. 41km to a point marked NG/15/18/CH/3 (app. coord. 34E803980N7926540), being the point of intersection with a cutline indicating the Chobe National Park boundary, indicated by an iron standard set in concrete marked 15; thence follows the said cutline southwards (181°) for app. 34km to a point marked NG/18/19/40 (app. coord. 34E803430N7892900), indicated by an iron standard set in concrete marked 43; thence follows a straight line westwards (268°) for app. 5km to a point marked NG/18/19/C (app. coord. 34E798900N7892760), being a point at the top end of the Khwai north airstrip, indicated by an iron standard set in concrete marked 56; thence follows the said airstrip south-westwards (246°) for app. 1km to a point marked NG/18/19/B (app. coord. 34E797750N7892240), being a point just south of the airstrip at the track from the airstrip to a beacon BPS 256, indicated by an iron standard set in concrete marked 217; thence follows the said track westwards (251°) for app. 13km to a point marked NG/18/19/A (app. coord. 34E785500N7888090), indicated by an iron standard set in concrete marked 57; thence follows a straight line southwards (178°) for app. 9km to a point marked NG/18/19/28 (app. coord. 34E785500N7878930), on the northern bank of the northern channel of the Khwai River, indicated by an iron standard set in concrete marked 58; thence follows the said bank westwards (277°) for app. 22km to a point marked NG/18/28 (app. coord. 34E763410N7881880), being a point on the bank indicated by an iron standard set in concrete marked 209; thence follows a straight line northwards (80°) for app. 1km to a point marked NG/18/20/28 (app. coord. 34E763560N7882960), indicated by an iron standard set in concrete marked 211; thence follows a straight line due north (00°) for app. 3km to the point marked NG/18/20 (app. coord. 34E763590N7885870), being Trig. Station BPS 257; thence follows a straight line due north (0°) for app. 48km to the point of commencement.

19. *Controlled Hunting Area NG/19*

Commencing at a point marked NG/18/19/40 (app. coord. 34E803430N7892900), being a point on a cutline indicating the Ngamiland state land boundary, indicated by an iron standard set in concrete marked 43, the boundary follows the said cutline southwards (181°) for app. 18km to a point marked NG/19/28/40 (app. coord. 34E803260N7882770); being the point of intersection with the northern bank of the northern channel of the Khwai River, indicated by an iron standard set in concrete marked 53; thence follows the said bank westwards (258°) for app. 9km to a point marked NG/18/19/28 (app. coord. 34E785500N7879030), being a point at the northern bank of the northern channel of the Khwai River, indicated by an iron standard set in concrete marked 58, thence follows a straight line due north (0°) for app. 13km to a point marked NG/18/19/A (app. coord. 34E785500N7888090), being a point on the track from Trig. Station BPS 256 to the old Khwai north airstrip, indicated by an iron standard set in concrete marked 57; thence follows the said track eastwards (71°) for app. 1km to a point marked NG/18/19/B (app. coord. 34E797750N7892240), being a point at the southern end of the airstrip, indicated by an iron standard set in concrete marked 217; thence follows the said airstrip north-eastwards (66°) for app. 5km to a point marked NG/18/19/C (app. coord. 34E798900N7892760), being a point at the northern end of the airstrip, indicated by an iron standard set in concrete marked 56; thence follows a straight line eastwards (880°) for app. 10km to the point of commencement.

20. *Controlled Hunting Area NG/20*

Commencing at a point NG/16/20/22 (app. coord. 34E716400N7910860), being Trig. Station BPS 262, the boundary follows a straight line northeastwards (64°) for app. 53km to a point marked NG/15/16/18/20 (app. coord. 34E763490N7934130), being Trig. Station BPS 288; thence follows a straight line due south (180°) for app. 48km to a point marked NG/18/20 (app. coord. 34E763590N7885870), being Trig. Station BPS 257; thence follows a straight line due south (180°) for app. 3km to a point marked NG/18/20/28 (app. coord.

34E763560N7882960), being a point on the Moremi Game Reserve boundary, indicated by an iron standard set in concrete marked 211; thence follows a straight line westwards (279^o) for app. 21km to a point marked NG/20/28 (app. coord. 34E743300N7886160), indicated by an iron standard set in concrete marked 213; thence follows a straight line westwards (262^o) for app. 28km to a point marked NG/20/21/28 (app. coord. 34E735800N7889170), indicated by an iron standard set in concrete marked 46; thence follows a straight line due north (0^o) for app. 4km to a point marked NG/20/21/B (app. coord. 34E735800N7889600), indicated by an iron standard set in concrete marked 47; thence follows a straight line westwards (289^o) for app. 17km to a point marked NG/20/21/A (app. coord. 34E719750N7895230), being Trig. Station BPS 260; thence follows a straight line westwards (291^o) for app. 8km to a point marked NG/20/21/22 (app. coord. 34E712620N7897910), indicated by an iron standard set in concrete marked 41; thence follows a straight line north-northwards (16^o) for app. 13km to the point of commencement.

21. Controlled Hunting Area NG/21

Commencing at a point marked NG/20/21/22 (app. coord. 34E712620N7897910), indicated by an iron standard set in concrete marked 41, the boundary follows a straight line eastwards (1110) for app. 8km to a point marked NG/20/21/A (app. coord. 34E719750N7895230), being Trig. Station BPS 260; thence follows a straight line eastwards (1090) for app. 17km to a point marked NG/20/21/B (app. coord. 34E735800N7889600), indicated by an iron standard set in concrete marked 47; thence follows a straight line due south (1800) for app. 4km to a point marked NG/20/21/28, (app. coord. 34E735800N7885170), being the point of intersection with a track at the Moremi Game Reserve boundary, indicated by an iron standard set in concrete marked 46; thence follows a straight line westwards (2620) for app. 7km to a point marked NG/21/28/D (app. coord. 34E728610N7884220), being the point of intersection with a track at the Moremi Game Reserve boundary, indicated by an iron standard set in concrete marked 219; thence follows a straight line southwestwards (2450) for app. 8km to a point marked NG/21/28/C (app. coord. 34E721720N7880960), being the point of intersection with the northern bank of the Mboroga River, indicated by an iron standard set in concrete marked 55; thence follows the said bank northwestwards (3340) for app. 5km to a point marked NG/21/28/B (app. coord. 34E719660N7885210), being a point on Dindiga Island, indicated by an iron standard set in concrete marked 221; thence follows a straight line northwestwards (2960) for app. 8km to a point marked NG/21/28/A (app. coord. 34E712310N7888850), being a point on an island in the middle of Jerejere Lagoon, indicated by an iron standard set in concrete marked 223; thence follows a straight line northwestwards (2930) for app. 4km to a point marked NG/21/22/28 (app. coord. 34E708560N7890460), being the middle of Dxherega (Dobe) Lagoon, indicated by a concrete beacon marked 45; thence follows a straight line northeastwards (290) for app. 9km to the point of commencement.

22. Controlled Hunting Area NG/22

Commencing at a point marked NG/12/16/22 (app. coord. 34E710230N7925370), being a point at a bend in the fence at Sandoroka Lagoon, indicated by an iron standard set in concrete marked 18, the boundary follows a straight line southeastwards (157^o) for app. 16km to a point marked NG/16/20/22 (app. coord. 34E716400N7910860), being Trig. Station BPS 262; thence follows a straight line southwards (196^o) for app. 14km to a point marked NG/20/21/22 (app. coord. 34E712620N7897910), indicated by an iron standard set in concrete marked 41; thence follows a straight line southwestwards (209^o) for app. 9km to a point marked NG/21/22/28 (app. coord. 34E708560N7890460), being the middle of the Dxherega (Dobe) Lagoon, indicated by a concrete beacon marked 45; thence follows a straight line southwestwards (237^o) for app. 5km to a point marked NG/22/28/B (app. coord. 34E704080N7887610), being a point on the northern bank of Hanamozeyo Island, indicated

by an iron standard set in concrete marked 225; thence follows a straight line northwestwards (296°) for app. 7km to a point marked NG/22/28/A (app. coord. 34E697700N7890770), being a point on the northern bank where the Nqoga River flows into the Moanatskira River, indicated by an iron standard set in concrete marked 227; thence follows the said bank of the Nqoga River westwards (274°) for app. 6km to a point marked NG/22/23/28 (app. coord. 34E691730N7891160), being a point on the northern bank of Xaenga Island, indicated by an iron standard set in concrete marked 44; thence follows a straight line northwards (354°) for app. 16km to a point marked NG/12/22/23 (app. coord. 34E690170N7906590), being a point at a bend in the northern buffalo fence at Sandoroka Lagoon, at Trig. Station BPS 264; thence follows the said fence northeastwards (47°) for app. 28km to the point of commencement.

23. Controlled Hunting Area NG/23

Commencing at a point marked NG/12/22/23 (app. coord. 34E690170N7906590), being a bend in the northern buffalo fence at Sandoroka Lagoon, at Trig. Station BPS 264, the boundary follows a straight line southwards (174°) for app. 16km to a point marked NG/22/23/28 (app. coord. 34E691730N7891160), being a point on the northern bank of Xaenga Island, indicated by an iron standard set in concrete marked 44; thence follows the northern bank of the Nqoga River westwards and northwestwards (289°) for app. 27km to a point marked NG/23/24/28 (app. coord. 34E665940N7899970), being a point on the bank where the Okavango River branches into the Nqoga and Jao (upper Boro) Rivers, indicated by an iron standard set in concrete marked 40; thence follows the middle of the Okavango River northwards (13°) for app. 1km to a point marked NG/23/23/A/24 (app. coord. 34E666180N7901080), being a point on the western bank of Duba Island, indicated by an iron standard set in concrete marked 38; thence follows a straight line eastwards (77°) for app. 20km to a point marked NG/12/23/23/A on the northern buffalo fence, indicated by an iron standard set in concrete marked 302; thence follows the said fence eastwards (78°) for app. 5km to the point of commencement.

24. Controlled Hunting Area NG/23a

Commencing at a point marked NG/12/23/A (app. coord. 34E662610N7908730), being a point on the northern bank of Pepere Island at the southern end of the northern buffalo fence, indicated by an iron standard set in concrete marked 301, the boundary follows the said fence eastwards (98°) for app. 23km to a point marked NG/12/23/23/A (app. coord. 34E685370N7905550), being a point on the fence, indicated by an iron standard set in concrete marked 302; thence follows a straight line westwards (257°) for app. 20km to a point marked NG/23/23/A/24 (app. coord. 34E660180N7901080), being a point on the western bank of Duba Island, indicated by an iron standard set in concrete marked 38; thence follows the middle of the Okavango River northwestwards (323°) for app. 9km to a point marked NG/12/23/A/24 (app. coord. 34E660670N7908430), being a point in the middle of the Okavango River, indicated by an iron standard set in concrete marked 300; thence follows a straight line eastwards (81°) for app. 2km to the point of commencement.

25. Controlled Hunting Area NG/24

Commencing at a point marked NG/10/24 (app. coord. 34E636960N7919840), being a point in the middle of the Okavango River, north of Ikoga Lagoon, where the defunct Thaoge River branches off from the said river, indicated by a concrete beacon marked 35, the boundary follows the middle of the said river south-eastwards (124°) for app. 35km to a point marked NG/23/24/28 (app. coord. 34E665940N7899970), being a point on the bank where the Okavango River branches into the Nqoga and Jao (upper Boro) Rivers, indicated by an iron standard set in concrete marked 40; thence follows the western bank of the Jao (upper Boro) River southwards (166°) for app. 17km to a point marked NG/24/25/28 (app. coord. 34E670100N7883790), being a point in the middle of the said river, west of Xhamae (Moshupatsile) Island, indicated by an iron standard set in concrete marked 49; thence follows

a straight line westwards (271^o) for app. 26km to a point marked NG/7/24/25 (app. coord. 34E643810N7884050), being a point on the thalweg of the Thaoge River, east of Wabe Lagoon, indicated by an iron standard set in concrete marked 48; thence follows the said river northwards (338^o) for app. 10km to the point of commencement.

26. Controlled Hunting Area NG/25

Commencing at a point marked NG/7/24/25 (app. coord. 34E643810N7884050), being a point on the thalweg of the Thaoge River east of Wabe Lagoon, indicated by an iron standard set in concrete marked 48, the boundary follows a straight line eastwards (91^o) for app. 26km to a point marked NG/24/25/28 (app. coord. 34E670100N7883790), being a point on the western bank of the Jao (upper Boro) River, west of Xhamae (Moshupatsile) Island; indicated by an iron standard set in concrete marked 49; thence follows the said bank southeastwards (156^o) for app. 22km to a point marked NG/25/28/B (app. coord. 34E679180N7863500); being a point on the western bank of the river, indicated by an iron standard set in concrete marked 233; thence follows a straight line due west (270^o) for app. 2km to a point marked NG/25/28/A (app. coord. 34E676890N7863500), being a point on the northern bank of Ganga Island; indicated by an iron standard set in concrete marked 235; thence follows a straight line westwards (250^o) for app. 2km to a point marked NG/25/26/28 (app. coord. 34E675310N7863150), being a point on the Maun/Xighera track on the northern bank of Xara Island; indicated by an iron standard set in concrete marked 70; thence follows a straight line westwards (269^o) for app. 27km to a point marked NG/8/25/26 (app. coord. 34E648180N7862790), being a point on the western buffalo fence; indicated by an iron standard set in concrete marked 71; thence follows the said fence northeastwards (24^o) for app. 4km to a point marked NG/7/8/25 (app. coord. 34E649820N7866500), being a point at a bend in the western buffalo fence, indicated by an iron standard set in concrete marked 68; thence follows a straight line northwards (341^o) for app. 19km to the point of commencement.

27. Controlled Hunting Area NG/26

Commencing at a point marked NG/8/25/26 (app. coord. 34E648180N7862700), being a point on the western buffalo fence, indicated by an iron standard set in concrete marked 71, the boundary follows a straight line eastwards (89^o) for app. 27km to a point marked NG/25/26/28 (app. coord. 34E675310N7863150), being a point on the Maun/Xighera track on the northern bank of Xara Island, indicated by an iron standard set in concrete marked 70; thence follows the said track southeastwards (143^o) for app. 15km to a point marked NG/26/27/28 (app. coord. 34E684210N7851370), being a point on the track at a bridge on Nxabega Island, indicated by an iron standard set in concrete marked 80; thence follows a straight line southwards (181^o) for app. 9km to a point marked NG/26/27/A (app. coord. 34E684000N7842640), being a point near the western bank of Nxabega Island on a termitarium above the high water mark, indicated by an iron standard set in concrete marked 98; thence follows a straight line south-eastwards (142^o) for app. 14km to a point marked NG/26/27/29 (app. coord. 34E692500N7831850), being a point on the track leading to a pontoon at the high water mark, indicated by an iron standard set in concrete marked 99; thence follows a straight line south-westwards (246^o) for app. 46km to a point marked NG/8/26/29 (app. coord. 34E650400N7813340), being a point at a bend in the western buffalo fence near Habu Gate, indicated by an iron standard set in concrete marked 111; thence follows the said fence northwards (357^o) for app. 50km to the point of commencement.

28. Controlled Hunting Area NG/27a

Commencing at a point marked NG/26/27/28 (app. coord. 34E684210N7851370), being a point on the Maun/Xighera track at a bridge on Nxabega Island, indicated by an iron standard set in concrete marked 80, the boundary follows the said track eastwards (108^o) for app. 5km to a point marked NG/27/28/B (app. coord. 34E688690N7849940), being a point on the track at another bridge on the said island, indicated by an iron standard set in concrete marked 237; thence follows a straight line southeastwards (119^o) for app. 20km to a point NG/27/28/30 (app. coord. 34E705790N7840640), being a point on the northern bank of an island on a track from Bobo Island in the direction of the Xo Flats, indicated by an iron standard set in concrete marked 87; thence follows a straight line southwestwards (216^o) for app. 13km to a point marked NG/27/29/30 (app. coord. 34E698003N7829830), being a point on the western bank of the Xudum River, indicated by an iron standard set in concrete marked 101; thence follows a straight line westwards (290^o) for app. 6km to a point marked NG/26/27/29 (app. coord. 34E692500N7831850), being a point on the track leading to a pontoon at the high water mark, indicated by an iron standard set in concrete marked 99; thence follows a straight line northwestwards (322^o) for app. 14km to a point marked NG/26/27/A (app. coord. 34E684000N7842640), being a point at the southwestern bank of Nxabega Island, indicated by an iron standard set in concrete marked 98; thence follows a straight northwards (1^o) for app. 9km to the point of commencement.

29. Controlled Hunting Area NG/27b

Commencing at a point NG/27/28/30 (app. coord. 34E705790N7840640); being a point on the northern bank of an island on a track from Bobo Island in the direction of the Xo Flats, indicated by an iron standard set in concrete marked 87, the boundary follows a straight line northeastwards (66^o) for app. 5km to a point marked NG/27/28/A (app. coord. 34E710280N7842650), being a point on the western bank of the Tshwaralengwana (middle Boro) River, west of Xakae Island, indicated by an iron standard set in concrete marked 96; thence follows the said bank eastwards (110^o) for app. 22km to a point marked NG/27/28/32 (app. coord. 34E731300N7835110); being a point on the southern bank of Nxaraga Lagoon, indicated by an iron standard set in concrete marked 95; thence follows a straight line southwestwards (246^o) for app. 15km to a point marked NG/27/30/32 (app. coord. 34E717900N7829040) on the southern bank of the Kiri River, indicated by an iron standard set in concrete marked 103; thence follows a straight line northwestwards (314^o) for app. 17km to the point of commencement.

30. Controlled Hunting Area NG/28

Commencing at a point marked NG/23/24/28 (app. coord. 34E665940N7899970), being a point on the bank where the Okavango River branches into the Nqoga and Jao (upper Boro) Rivers, indicated by an iron standard set in concrete marked 40, the boundary follows the northern bank of the Nqoga River eastwards (109^o) for app. 27km to a point marked NG/22/23/28 (app. coord. 34E691730N7891160), being a point on the northern bank of Xaenga Island indicated by an iron standard set in concrete marked 44; thence follows the said bank eastwards (94^o) for app. 6km to a point marked NG/22/28/A (app. coord. 34E697700N7890770), being the point on the bank where the river flows into the Mwachira River, indicated by an iron standard set in concrete marked 227; thence follows a straight line south-eastwards (116^o) for app. 7km to a point marked NG/22/28/B (app. coord. 34E704080N7887610), being a point on the northern bank of Hanamozeyo Island, indicated by an iron standard set in concrete marked 225; thence follows a straight line north-eastwards (57^o) for app. 5km to a point marked NG/21/22/28 (app. coord. 34E708560N7890460), being the middle of Dxheraga (Dobe) Lagoon; thence follows a straight line southeastwards (113^o) for app. 4km to a point marked NG/21/28/A (app. coord. 34E712310N7888850), being a point on an island in the middle of Jerejere

Lagoon, indicated by an iron standard set in concrete marked 223; thence follows a straight line south-eastwards (116°) for app. 8km to a point marked NG/21/28/B (app. coord. 34E719660N7885210), being the point of intersection with the northern bank of the Mboroga River, indicated by an iron standard set in concrete marked 221; thence follows the said bank south-eastwards (154°) for app. 5km to a point marked NG/21/28/C (app. coord. 34E721720N7880960), being a point on the bank of the river, indicated by an iron standard set in concrete marked 55; thence follows a straight line north-eastwards (65°) for app. 8km to a point marked NG/21/28/D (app. coord. 34E728610N7884220), being a point on the northern bank of Kwetaxao Island, indicated by an iron standard set in concrete marked 219; thence follows a straight line eastwards (82°) for app. 7km to a point marked NG/20/21/28 (app. coord. 34E735800N7885170), being a point approximately 1.5km north of the Mwanchira River, indicated by an iron standard set in concrete marked 46; thence follows a straight line eastwards (82°) for app. 8km to a point marked NG/20/28 (app. coord. 34E743300N7886160), being a point 1.2 km north of the Mwanchira River, indicated by an iron standard set in concrete marked 213; thence follows a straight line eastwards (99°) for app. 21km to a point marked NG/18/20/28 (app. coord. 34E763560N7882960), being a point on the southern bank of an island approximately 3km east of Dombo Lagoon, indicated by an iron standard set in concrete marked 211; thence follows a straight line southwards (188°) for app. 1km to a point marked NG/18/28 (app. coord. 34E763340N7881880), being the point of intersection with the northern bank of the northernmost channel of the Khwai River, indicated by an iron standard set in concrete marked 209; thence follows the said bank eastwards (89°) for app. 40km to a point marked NG/19/28/40 (app. coord. 34E803260N7882770), being the point of intersection with a cutline indicating the Ngamiland state land boundary, indicated by an iron standard set in concrete marked 53; thence follows the said cutline southwards (181°) for app. 23km to a point marked NG/28/34/40/41/43 (app. coord. 34E802880N7860020), being the point of intersection with a cutline and a track, indicated by an iron standard set in concrete marked 76; thence follows a straight line westwards (271°) for app. 21km to a point marked NG/28/34 (app. coord. 34E782110N7860470), indicated by an iron standard set in concrete marked 81; thence follows a straight line southwards (202°) for app. 22km to a point marked NG/28/33/34 (app. coord. 34E773750N7840220); being a point on the southern bank of the Mogogelo River, indicated by an iron standard set in concrete marked 88; thence follows a straight line westwards (263°) for app. 8km to a point marked NG/28/32/34 (app. coord. 34E765780N7839220), being a point on the southern bank of the most western channel of the Gomoti River, indicated by an iron standard set in concrete marked 89; thence follows the said bank north-westwards (312°) for app. 18km to a point marked NG/28/31/B (app. coord. 34E752410N7851270), being a point on the bank, indicated by an iron standard set in concrete marked 84; thence follows a straight line westwards (267°) for app. 10km to a point marked NG/28/31/A (app. coord. 34E742500N7850810), being a point on the western bank of Qanetaa Lagoon, indicated by an iron standard set in concrete marked 85; thence follows a straight line south-westwards (210°) for app. 7km to a point marked NG/17/28/31 (app. coord. 34E739220N7845130), being the point of intersection with the thalweg of the Matsebe River, indicated by an iron standard set in concrete marked 86; thence follows a straight line southwards (183°) for app. 2km to a point marked NG/17/28/B (app. coord. 34E739130N7843090), being a point on an island to the east of the northern end of the Matsebe River, indicated by an iron standard set in concrete marked 229; thence follows the eastern bank of the most eastern channel of the Matsebe River southwards (168°) for app. 11km to a point marked NG/17/28/A (app. coord. 34E741280N7832530), indicated by an iron standard set in concrete marked 231; thence follows a straight line south-westwards (214°) for app. 2km to a point marked NG/17/28/32 (app. coord. 34E740050N7830710), indicated by an iron standard set in concrete marked 100; thence follows a straight line north-westwards (297°) for app. 10km to a point marked NG/27/28/32 (app. coord. 34E731300N7835110), being a point on the southern bank of

Nxaraga Lagoon, indicated by an iron standard set in concrete marked 95; thence follows the said bank north-westwards (2900) for app. 22km to a point marked NG/27/28/A (app. coord. 34E710280N7842650), being a point on the bank of the Tshwaralengwana (middle Boro) River, west of Xakae Island, indicated by an iron standard set in concrete marked 96; thence follows a straight line south-westwards (246^o) for app. 5km to a point marked NG/27/28/30 (app. coord. 34E705790N7840640), being a point on the northern bank of an island on a track from Bobo Island in the direction of the Xo Flats, indicated by an iron standard set in concrete marked 87; thence follows a straight line north-westwards (299^o) for app. 20km to a point marked NG/27/28/B (app. coord. 34E688690N7849940), being a point on the Maun/Xighera track at a bridge on Nxabega Island, indicated by an iron standard set in concrete marked 237; thence follows the said track northwestwards (315^o) for app. 19km to a point marked NG/25/26/28 (app. coord. 34E675310N7863150) being a point on the track on the northern bank of Xara Island, indicated by an iron standard set in concrete marked 70; thence follows a straight line north-westwards (77^o) for app. 2km to a point marked NG/25/28/A (app. coord. 34E676890N7863500), being a point on the northern bank of Ganga Island, indicated by an iron standard set in concrete marked 235; thence follows a straight line due east (90^o) for app. 2km to a point marked NG/25/28/B (app. coord. 34E679180N7863500), being a point in the western bank of the Jao (upper Boro) River, indicated by an iron standard set in concrete marked 233; thence follows the said bank northwards (340^o) for app. 39km to the point of commencement.

31. *Controlled Hunting Area NG/29*

Commencing at a point marked NG/8/26/29 (app. coord. 34E650400N7813340), being a point at a bend in the western buffalo fence near Habu Gate, indicated by an iron standard set in concrete marked 111, the boundary follows a straight line northeastwards (66^o) for app. 46km to a point marked NG/26/27/29 (app. coord. 34E692500N7831850), being a point on track leading to a pontoon at the high water mark, indicated by an iron standard set in concrete marked 99; thence follows a straight line eastwards (110^o) for app. 6km to a point marked NG/27/29/30 (app. coord. 34E698000N7829830), being a point at the western bank of the Xudum River, indicated by an iron standard set in concrete marked 101; thence follows a straight line southeastwards (156^o) for app. 6km to a point marked NG/29/30/35 (app. coord. 34E717620N7785930), being the point of intersection between the thalweg of Xudum River and the southern buffalo fence, indicated by an iron standard set in concrete marked 123; thence follows the said fence southwestwards and northwestwards (303^o) for app. 79km to the point of commencement.

32. *Controlled Hunting Area NG/30*

Commencing at a point marked NG/27/29/30 (app. coord. 34E698000N7829830), being a point on the thalweg of the Xudum River, indicated by an iron standard set in concrete marked 101, the boundary follows a straight line northeastwards (40^o) for app. 13km to a point marked NG/27/28/30 (app. coord. 34E705790N7840640), being a point on the track at the northern bank of an island near the Kiri River, indicated by an iron standard set in concrete marked 87; thence follows a straight line southeastwards (134^o) for app. 17km to a point marked NG/27/30/32 (app. coord. 34E717900N7829040), being a point on the northern bank of an island near the Kiri River, indicated by an iron standard set in concrete marked 103; thence follows the Kiri River southeastwards (143^o) for app. 22km to a point marked NG/30/32 (app. coord. 34E731290N7811410), being a point on the thalweg of the Kiri River, indicated by an iron standard set in concrete marked 116; thence follows a straight line southwards (168^o) for app. 9km to a point marked NG/30/32/35 (app. coord. 34E733130N7802920), being a point at a bend in the southern buffalo fence, indicated by an iron standard set in concrete marked 115; thence follows the fence southwestwards (222^o) for app. 23km to a point marked NG/29/30/35 (app. coord. 34E717620N7785930), being the point of intersection with the thalweg of Xudum River, indicated by an iron standard set in concrete marked 123; thence follows a straight line north-westwards (3360) for app. 48km to the point of commencement.

33. *Controlled Hunting Area NG/31*

Commencing at a point marked NG/17/28/31 (app. coord. 34E739220N7845130), being a point of intersection of the Moremi Game Reserve boundary and the thalweg of the Santantadibe River, indicated by an iron standard set in concrete marked 86, the boundary follows a straight line northeastwards (30°) for app. 7km to a point marked NG/28/31/A (app. coord. 34E742500N7850810), being a point on the western bank of Qahetaa Lagoon, indicated by an iron standard set in concrete marked 85; thence follows a straight line eastwards (87°) for app. 10km to a point marked NG/28/31/B (app. coord. 34E752410N7851270), being a point on the southern bank of the western channel of the Gomoti River, indicated by an iron standard set in concrete marked 84; thence follows the said bank southeastwards (131°) for app. 12km to a point marked NG/28/31/32 (app. coord. 34E761330N7843470), being a point on the bank, indicated by an iron standard set in concrete marked 83; thence follows a straight line southwestwards (232°) for app. 16km to a point marked NG/17/31/32 (app. coord. 34E749060N7833810), being a point on the northern bank of Gporoku Island, east of Ikamkum Lagoon, indicated by an iron standard set in concrete marked 97; thence follows the thalweg of the Santantadibe River northwestwards (319°) for app. 15km to the point of commencement.

34. *Controlled Hunting Area NG/32*

Commencing at a point marked NG/27/28/32 (app. coord. 34E731300N7835110), being a point on the southern bank of Nxaragara Lagoon, indicated by an iron standard set in concrete marked 95, the boundary follows the Moremi Game Reserve boundary southeastwards (117°) for app. 10km to a point marked NG/17/28/32 (app. coord. 34E740050N7830710), indicated by an iron standard set in concrete marked 100; thence follows a straight line eastwards (71°) for app. 10km to a point marked NG/17/31/32 (app. coord. 34E749060N7833810), being a point on the northern bank of Gporoku Island, east of Ikamkum Lagoon, indicated by an iron standard set in concrete marked 97; thence follows a straight line northeastwards (52°) for app. 16km to a point marked NG/28/31/32 (app. coord. 34E761330N7843470), being a point on the southern bank of the most western channel of the Gomoti River, indicated by an iron standard set in concrete marked 83; thence follows the said channel south-eastwards (148°) for app. 19km to a point marked NG/32/34/35 (app. coord. 34E771300N7827780), being the point of intersection with the southern buffalo fence, indicated by an iron standard set in concrete marked 106; thence follows the said fence westwards, south-westwards and northwestwards (237°) for app. 46km to a point marked NG/30/32/35 (app. coord. 34E733130N7802920), being a corner point in the fence, indicated by an iron standard set in concrete marked 115; thence follows a straight line northwards (348°) for app. 9km to a point marked NG/30/32 (app. coord. 34E731290N7811410), being a point on the southern bank of the Kiri River, indicated by an iron standard set in concrete marked 116; thence follows the said bank northwestwards (323°) for app. 22km to a point marked NG/27/30/32 (app. coord. 34E717900N7829040), being a point on the northern bank of an island near the Kiri River, indicated by an iron standard set in concrete marked 103; thence follows a straight line northeastwards (66°) for app. 15km to the point of commencement.

35. *Controlled Hunting Area NG/33*

Commencing at a point marked NG/28/33/34/A (app. coord. 34E77750N7849960), being the South Gate entrance to Moremi Game Reserve, indicated by an iron standard set in concrete marked 82, the boundary follows the said Maun track southeastwards (136°) for app. 4km to a point marked NG/33/34/A (app. coord. 34E780660N7846960), indicated by an iron standard set in concrete marked 91; thence follows a straight line southwards (181°) for app. 11km to a point marked NG/33/34/B (app. coord. 34E780520N7835650), being a point on the thalweg of Mogogelo River, indicated by an iron standard set in concrete marked 90; thence follows a straight line northwestwards (304°) for app. 8km to a point marked NG/28/33/34 (app. coord. 34E773750N7840220), being a point on the southern bank of the Mogogelo River and being a corner point in the boundary of the Moremi Game reserve, indicated by an iron standard set in concrete marked 88; thence follows the Moremi Game Reserve boundary northwards (22°) for app. 11km to the point of commencement.

36. *Controlled Hunting Area NG/34*

Commencing at a point marked NG/28/34 (app. coord. 34E781949N7860287), being the point of intersection with a cutline indicating the Moremi Game Reserve boundary, indicated by an iron standard set in concrete marked 81, the boundary follows the said cutline eastwards (91°) for app. 21km to a point marked NG/28/34/40/41/43 (app. coord. 34E802880N7860020), being the point of intersection with a cutline and a track, indicated by an iron standard set in concrete marked 76; thence follows the said cutline southwards (181°) for app. 33km to a point marked NG/34/35/43 (app. coord. 34E802360N7827340), being the point of intersection with the southern buffalo fence, indicated by an iron standard set in concrete marked 107; thence follows the southern buffalo fence westwards (271°) for app. 31km to a point marked NG/32/34/35 (app. coord. 34E771300N7827780), being the point of intersection with the thalweg of the most western channel of the Gomoti River, indicated by an iron standard set in concrete marked 106; thence follows the said channel northwestwards (334°) for app. 13km to a point marked NG/28/32/34 (app. coord. 34E765780N7839220), being the intersection with a track following the Moremi Game Reserve boundary, indicated by an iron standard set in concrete marked 89; thence follows the Moremi Game Reserve boundary eastwards (83°) for app. 8km to a point marked NG/28/33/34 (app. coord. 34E773750N7840220), being a point on the southern bank of the Mogogelo River; indicated by an iron standard set in concrete marked 88; thence follows a straight line southeastwards (124°) for app. 8km to a point marked NG/33/34/B (app. coord. 34E780520N7835650), being a point on the southern bank of the Mogogelo River, indicated by an iron standard set in concrete marked 90; thence follows a straight line northwards (10°) for app. 11km to a point marked NG/33/34/A (app. coord. 34E780660N7846960), being a point on the Maun/South Gate track, indicated by an iron standard set in concrete marked 91; thence follows the said track northwestwards (316°) for app. 4km to a point marked NG/28/33/34/A (app. coord. 34E777750N7849960), being the South Gate entrance to Moremi Game Reserve, indicated by an iron standard set in concrete marked 82; thence follows a track indicating the Moremi Game Reserve boundary northeastwards (23°) for app. 11km to the point of commencement.

37. *Controlled Hunting Area NG/35*

Commencing at a point marked NG/34/35/43 (app. coord. 34E802360N7827340), being a bend in the southern buffalo fence at a cutline, indicated by an iron standard set in concrete marked 107, the boundary follows the said fence southwards (181°) for app. 76km to a point marked NG/35/37/45/CT/8 (app. coord. 34E801280N7751510), being the point of intersection with the thalweg of the Boteti River, indicated by an iron standard set in concrete marked 146; thence follows the Boteti River, the Nhabe River and the Xudum River northwestwards, westwards and southwestwards (268°) for app. 98km to a point marked NG/9/35/38 (app. coord. 34E703180N7747840) being the point of intersection with the Maun/Ghanzi road, indicated by an iron standard set in concrete marked 246; thence follows the thalweg of the Xudum River northwards (2°) for app. 31km to a point marked NG/9/29/30/35 (app. coord. 34E717620N7785930) being the point of intersection with the western buffalo fence, indicated by an iron standard set in concrete marked 123; thence follows the said fence northeastwards and eastwards (64°) for app. 110km to the point of commencement.

38. *Controlled Hunting Area NG/36*

Commencing at a point marked NG/35/36/A (app. coord. 34E763360N7796040), being the point of intersection between the thalweg of the Thamalakane River with thalweg of the Boro River, indicated by an iron standard set in concrete marked 202, the boundary follows a straight line south-eastwards (139°) for app. 2km to a point marked NG/35/36/B (app. coord. 34E764590N7794630), being a point on the old Maun/Bushmanpits track, indicated by an iron standard set in concrete marked 134; thence follows a straight line south-westwards (225°) for app. 21km to a point marked NG/35/36/C (app. coord. 34E749880N7779730), being

a point southeast of the confluence of the Shashe and the Thamalakane Rivers, indicated by an iron standard set in concrete marked 133; thence follows a straight line northwestwards (234°) for app. 2km to a point marked NG/35/36/D (app. coord. 34E748460N7781680), being the point of intersection of the thalweg of the Thamalakane River with the thalweg of the Shashe River, indicated by an iron standard set in concrete marked 204; thence following the said river northwards (19°) for app. 4km to a point marked NG/35/36/E (app. coord. 34E749760N7785450), indicated by an iron standard set in concrete marked 136; thence follows a straight line north-eastwards (41°) for app. 16km to a point marked NG/35/36/F (app. coord. 34E760640N7797750), being a point on the thalweg of the Boro River, 3.22km upstream from the intersection of the the Thamalakane River with the Boro River, indicated by an iron standard set in concrete marked 135; thence southeastwards along the thalweg of the Boro River (122°) for app. 32km to the point of commencement.

39. Controlled Hunting Area NG/37

Commencing at a point marked NG/35/37/45/CT/8 (app. coord. 34E801280N7751510), being the point of intersection between the thalweg of the Boteti River and the Shorobe buffalo fence, indicated by an iron standard set in concrete marked 146, the boundary follows the said fence southwards (181°) for app. 15km to a point marked NG/37/39/CT/8 (app. coord. 34E800990N7736310), being a point on the fence, indicated by an iron standard set in concrete marked 180; thence follows a straight line due west (270°) for app. 0.2km to a point marked NG/37/39 (app. coord. 34E800800N7736310), being a point on the Hainaveld Ranch Block boundary, indicated by an iron standard set in concrete marked 179; thence follows the said boundary north-westwards, westwards and southwestwards (270°) for app. 101km to a point marked NG/37/38/39 (app. coord. 34E700020N7736880) being the point of intersection with the old Maun/Ghanzi road, indicated by an iron standard set in concrete marked 212; thence follows the said road northwards (22°) for app. 11km to a point marked NG/35/37/38 (app. coord. 34E704250N7747210) being the point of intersection with thalweg of the Nhabe River, indicated by an iron standard set in concrete marked 298; thence follows the said river and the thalweg of the Boteti River generally north-eastwards, eastwards and south-eastwards (87°) for app. 97km to the point of commencement;

40. Controlled Hunting Area NG/38

Commencing at a point marked NG/9/35/38 (app. coord. 34E703180N7747840), being the point of intersection between the Maun/Ghanzi road and the thalweg of the Xudum River, indicated by an iron standard set in concrete marked 246, the boundary follows the said river and the Nhabe River southeastwards (121°) for app. 1km to a point marked NG/35/37/38 (app. coord. 34E704250N7747210), being the point of intersection with the old Maun/Ghanzi road, indicated by an iron standard set in concrete marked 298; thence follows the said road southwestwards (217°) for app. 39km to a point marked NG/9/38/39 (app. coord. 34E681050N7716170), being the point of intersection with a track leading to Sehithwa, indicated by an iron standard set in concrete marked 292; thence follows the said track northwards (351°) for app. 21km to a point marked NG/9/38 (app. coord. 34E677740N7736370), being the point of intersection between the new Maun/Ghanzi road and the road leading to Shakawe, indicated by an iron standard set in concrete marked 294; thence follows the Maun/Ghanzi road north-eastwards (66°) for app. 28km to the point of commencement.

41. Controlled Hunting Area NG/39

Commencing at a point marked NG/37/39/CT/8 (app. coord. 34E800990N7736310), being a point on a cutline indicating the boundary between Ngamiland and Central Districts, indicated by an iron standard set in concrete marked 180, the boundary follows the said cutline southwards (181°) for app. 61km to a point marked NG/39/CT/8/GH/12 (app. coord. 34E799920N7675300), being the point of intersection between the cutlines indicating the boundary between the Ngamiland, Ghanzi and Central Districts, indicated by a fence post set

in concrete marked GH/121; thence follows the said cutline westwards (271°) for app. 152km to a point marked NG/9/39/GH/1 (app. coord. 34E647890N7677530), being the point of intersection with the Maun/Ghanzi road, indicated by an iron standard set in concrete marked 160; thence follows the old Maun/Ghanzi road northeastwards (41°) for app. 79km to a point marked NG/37/38/39 (app. coord. 34E700020N7736880), being the point of intersection with the northern boundary of the Hainaveld Ranch Block, indicated by an iron standard set in concrete marked 212; thence follows the northern boundary of the Hainaveld Ranch Block northeastwards, eastwards and southeastwards (90°) for app. 101km to a point marked NG/37/39 (app. coord. 34E800800N7736310), being a point on the said boundary, indicated by an iron standard set in concrete marked 179; thence follows a straight line due east (90°) for app. 0.2km to the point of commencement.

42. *Controlled Hunting Area NG/40*

Commencing at a point marked NG/18/40/CH/3 (app. coord. 35E171760N7896060), being a point on the cutline indicating the boundary between Ngamiland and Chobe Districts and the boundary of the Chobe National Park, indicated by an iron standard set in concrete marked 207, the boundary follows the said cutline eastwards (88°) for app. 16km to a point marked NG/40/41/CH/3 (app. coord. 35E187620N7896700), being the point of intersection with a cutline, indicated by an iron standard set in concrete marked 74; thence follows the said cutline southwards (194°) for app. 13km to a point marked NG/40/41 (app. coord. 35E184340N7883730), being a point at a bend in the cutline, indicated by an iron standard set in concrete marked 73; thence follows the said cutline southwestwards (206°) for app. 27km to a point marked NG/28/34/40/41/43 (app. coord. 35E172400N7859590), being the point of intersection with a cutline and a track, indicated by an iron standard set in concrete marked 76; thence follows the said cutline northwards (359°) for app. 37km to the point of commencement.

43. *Controlled Hunting Area NG/41*

Commencing at a point marked NG/40/41/CH/3 being a point on the cutline indicating the boundary of the Chobe National Park and the boundary between Ngamiland and Chobe Districts, also being the northwest corner of the Ngamiland State Land Wildlife Management Area (app. coord. 35E187620N7896700), indicated by an iron standard set in concrete marked 74, the boundary follows the said cutline eastwards (89°) for app. 53km to a point marked NG/41/42/CH/3 which lies on the cutline (app. coord. 35E240320N7897480), indicated by an iron standard set in concrete marked 75; thence follows a straight line southwards (179°) for app. 37km to a point marked NG/41/42/43 (app. coord. 35E240840N7860300), indicated by an iron standard set in concrete marked 79; thence follows a straight line westwards (269°) for app. 68km to a point marked NG/28/34/40/41/43 being the point of intersection with a cutline and a track (app. coord. 35E172400N7859590), indicated by an iron standard set in concrete marked 76; thence follows the said track north-eastwards (26°) for app. 27km to a point marked NG/40/41, being a point at a bend on a cutline (app. coord. 35E184340N7883730), indicated by an iron standard set in concrete marked 73; thence follows the said cutline northwards (140°) for app. 13km to the point of commencement.

44. *Controlled Hunting Area NG/42*

Commencing at a point marked NG/41/42/CH/3 on a cutline indicating the boundary between the Ngamiland and Chobe Districts and the boundary of the Chobe National Park (app. coord. 35E240320N7897480), indicated by an iron standard set in concrete marked 75, the boundary follows the said cutline eastwards (89°) for app. 49km to a point marked NG/42/CH/11/CT/1, being the point of intersection with a cutline indicating the boundary between Chobe, Ngamiland and Central Districts (app. coord. 35E289460N7898160), indicated by an iron standard set in concrete marked 92; thence follows the said cutline southwards (179°) for app. 60km to a point marked NG/42/48/CT/1, being the point of intersection with a cutline indicating the boundary between the Ngamiland and Central Districts (app. coord. 35E290150N7838690),

indicated by an iron standard set in concrete marked 93; thence follows the said cutline due west (270°) for app. 19km to a point marked NG/42/47/48 being the point of intersection with a cutline at the north-western corner of the Nxai Pan National Park (app.coord. 35E270860N7838710), indicated by an iron standard set in concrete marked 94; thence follows the said cutline westwards (275°) for app. 7km to a point marked NG/42/47 (app. coord. 35E263690N7839300), being the point of intersection with the eastern end of the Shorobe buffalo fence, indicated by an iron standard set in concrete marked 104; thence follows the said fence southwestwards (237°) for app. 17km to a point marked NG/42/43/47 being a point on the fence (app. coord. 35E249470N7829910), indicated by an iron standard set in concrete marked 105; the boundary follows a straight line northwards (344°) for app. 32km to a point marked NG/41/42/43 being the point of intersection with a cutline (app. coord. 35E240840N7860300), indicated by an iron standard set in concrete marked 79; thence follows a straight line northwards (359°) for app. 37km to the point of commencement.

45. Controlled Hunting Area NG/43

Commencing at a point marked NG/28/34/40/41/43 being the point of intersection of cutlines and a track (app. coord. 35E172400N7859590), indicated by an iron standard set in concrete marked 76, the boundary follows a cutline eastwards (89°) for app. 68km to a point marked NG/41/42/43 (app. coord. 35E240840N7860300), being a point on the cutline, indicated by an iron standard set in concrete marked 79; thence follows a straight line southwards (164°) for app. 32km to a point marked NG/42/43/47 (app. coord. 35E249470N7829910), being the point of intersection with a fence, indicated by an iron standard set in concrete marked 105; thence follows the said fence southwestwards (234°) for app. 29km to a point marked NG/43/47, being a point at a bend in the fence (app. coord. 35E226010N7812770), indicated by an iron standard set in concrete marked 112; thence follows the said fence westwards (263°) for app. 53km to a point marked NG/35/43/45, being the point of intersection with the fence at the northwestern corner of the Makalamabedi BLDC ranch (app. coord. 35E173390N7806500), indicated by an iron standard set in concrete marked 114; thence follows a cutline northwards (359°) for app. 53km to the point of commencement.

46. Controlled Hunting Area NG/44

Commencing at a point marked NG/44/45/49 (app. coord. 35E207280N7766050), being the point of intersection of the eastern fence of the Makalamabedi BLDC ranch with the Nata/Maun road, indicated by an iron standard set in concrete marked 137, the boundary follows the said road eastwards (95°) for app. 8km to a point marked NG/44/49 (app. coord. 35E214730N7765340), being the point of intersection with the DWNP game fence, indicated by an iron standard set in concrete marked 239; thence follows the said fence southwards (188°) for app. 4km to a point marked NG/44/49/52, being the point of intersection with the Matime/Bushman Pits track (app. coord. 35E214210N7761510), indicated by an iron standard set in concrete marked 241; thence follows the said track south-westwards (222°) for app. 0.1km to a point marked NG/44/52/CT/8 (app. coord. 35E214110N7761410), being the point of intersection with the thalweg of the Boteti River, also being a point on the boundary between the Ngamiland and Central Districts, indicated by an iron standard set in concrete marked 142; thence follows the said river westwards (280°) for app. 10km to a point marked NG/44/45/CT/8, being the point of intersection with a fence (app. coord. 35E204550N7763140), indicated by an iron standard set in concrete marked 138; thence follows the said fence northeastwards (430°) for app. 4km to the point of commencement.

47. Controlled Hunting Area NG/45

Commencing at a point marked NG/35/43/45 being a point on the fence at the northwestern corner of the Makalamabedi BLDC ranch, (app. coord. 35E173390N7806500), indicated by an iron standard set in concrete marked 114, the boundary follows the said fence eastwards (83°) for app. 33km to a point marked NG/43/45/47 (app. coord. 35E206130N7810440) being the point of intersection with a fence, indicated by an iron standard set in concrete marked 113; thence follows the said fence southwards (179°) for app. 44km to a point marked NG/44/45/49 being the point of intersection with the Nata/Maun road (app. coord. 35E207280N7766050), indicated by an iron standard set in concrete marked 137; thence follows the said fence southwestwards (2230) for app. 4km to a point marked NG/44/45/CT/8 being the point of intersection with the thalweg of the Boteti River, also being a point on the boundary between the Ngamiland and Central Districts (app. coord. 35E204550N7763140), indicated by an iron standard set in concrete marked 138; thence follows the said river westwards (248°) for app. 32km to a point marked NG/35/37/45/CT/8, being the point of intersection with a fence at the southwestern corner of the Makalamabedi BLDC ranch (app. coord. 35E174660N7751070), indicated by an iron standard set in concrete marked 146; thence follows the said fence northwards (359°) for app. 56km to the point of commencement.

48. Controlled Hunting Area NG/47

Commencing at a point marked NG/42/47 (app. coord. 35E263690N7839300) being the point at the eastern end of the Shorobe buffalo fence of intersection with a cutline, indicated by an iron standard set in concrete marked 104, the boundary follows the said cutline eastwards (95°) for app. 7km to a point marked NG/42/47/48 being the point of intersection with a cutline at the northwestern corner of the Nxai Pan National Park (app. coord. 35E270860N7838710), indicated by an iron standard set in concrete marked 94; thence follows the said cutline southwestwards (207°) for app. 58km to a point marked NG/47/48/49, being a point on the cutline at the most western point of the said national park (app. coord. 35E244500N7786900), indicated by an iron standard set in concrete marked 130; thence follows a straight line westwards (269°) for app. 38km to a point marked NG/45/47/49, being the point of intersection with a fence (app. coord. 35E206760N7785650), indicated by an iron standard set in concrete marked 129; thence follows the said fence northwards (358°) for app. 25km to a point marked NG/43/45/47, being a point on the Shorobe buffalo fence at the northeastern corner of the Makalamabedi BLDC ranch (app. coord. 35E206130N7810440), indicated by an iron standard set in concrete marked 113, thence follows the said fence eastwards (84°) for app. 20km to a point marked NG/43/47, being a point at a bend in the fence (app. coord. 35E226010N7812770), indicated by an iron standard set in concrete marked 112; thence follows the said fence northeastwards (55°) for app. 46km to the point of commencement.

49. Controlled Hunting Area NG/48

Commencing at a point marked NG/42/47/48 (app. coord. 35E270860N7838710), being the point of intersection of a cutline at the northwestern corner of the Nxai Pan National Park, indicated by an iron standard set in concrete marked 94, the boundary follows the said cutline eastwards (90°) for app. 19km to a point marked NG/42/48/CT/1 (app. coord. 35E290150N7838690), being the point of intersection with a cutline indicating the boundary between the Ngamiland and Central Districts, indicated by an iron standard set in concrete marked 93; thence follows the said cutline southwards (179°) for app. 51km to a point marked NG/48/51/CT/7 (app. coord. 35E290700N7787890), being the point of intersection with a fence at the northwest corner of the Odiakwe BLDC, indicated by an iron standard set in concrete marked 131; thence follows the said fence southwestwards (220°) for app. 10km to a point marked NG/48/51 (app. coord. 35E284420N7780280), being the northwest corner of the said ranch, indicated by an iron standard set in concrete marked 143; thence follows the

said fence southwards (177^o) for app. 18km to a point marked NG/48/51/52 (app. coord. 35E285260N7761920), being the point of intersection with the Nata/Maun road, indicated by an iron standard set in concrete marked 144; thence follows the said road due west (270^o) for app. 31km to a point marked NG/48/49/52 (app. coord. 35E254420N7761840), being the point of turn-off from the road to the access track to the Nxai Pan National Park wildlife office, indicated by an iron standard set in concrete marked 140; thence follows the said track northwards (15^o) for app. 26km to a point marked NG/48/49 (app. coord. 35E260990N7787090), being the point of intersection with a cutline, indicated by an iron standard set in concrete marked 141; thence follows the said cutline westwards (269^o) for app. 17km to a point marked NG/47/48/49, being a point on the cutline at the most western point of the Nxai Pan National Park (app. coord. 35E244500N7786900), indicated by an iron standard set in concrete marked 130; thence follows the said cutline northeastwards (27^o) for app. 58km to the point of commencement.

50. *Controlled Hunting Area NG/49*

Commencing at a point marked NG/45/47/49 (app. coord. 35E206760N7785650), being a point on the eastern fence of the Makalamabedi BLDC ranch indicated by an iron standard set in concrete marked 129, the boundary follows a cutline eastwards (88^o) for app. 38km to a point marked NG/47/48/49 (app. coord. 35E244500N7786900), being the point of intersection with a cutline indicating the boundary of the Nxai Pan National Park, indicated by an iron standard set in concrete marked 130; thence follows the said cutline eastwards (89^o) for app. 17km to a point marked NG/48/49 (app. coord. 35E261100N7786900), being the point of intersection with the main access track to the Nxai Pan National Park wildlife office, indicated by an iron standard set in concrete marked 141; thence follows the said track southwards (195^o) for app. 26km to a point marked NG/48/49/52 (app. coord. 35E254420N7761840), being the point of intersection with the Nata/Maun road, indicated by an iron standard set in concrete marked 140; thence follows the said road westwards (277^o) for app. 33km to a point marked NG/49/52 (app. coord. 35E221770N7765930), being the point of intersection with the Matime/Bushman Pits track, indicated by an iron standard set in concrete marked 218; thence follows the said track southwestwards (240^o) for app. 9km to a point marked NG/44/49/52 (app. coord. 35E214210N7761510), being the point of intersection with the DWNP game fence, indicated by an iron standard set in concrete marked 241; thence follows the said fence northwards (8^o) for app. 4km to a point marked NG/44/49 (app. coord. 35E214730N7765340), being the point of intersection with the Nata/Maun road, indicated by an iron standard set in concrete marked 239; thence follows the said road westwards (275^o) for app. 8km to a point marked NG/44/45/49 (app. coord. 35E207280N7766050), being the point of intersection with the eastern fence of the Makalamabedi BLDC ranch, indicated by an iron standard set in concrete marked 137; thence follows the said fence northwards (358^o) for app. 20km along to the point of commencement.

51. *Controlled Hunting Area NG/51*

Commencing at a point marked NG/48/51/CT/7 (app. coord. 35E290700N7787990), being a point at a bend in a fence on the boundary of the Nxai Pan National Park and on the boundary between the Ngamiland and Central Districts, indicated by an iron standard set in concrete marked 131, the boundary follows the said fence southeastwards (113^o) for app. 20km to a point marked NG/51/CT/7 (app. coord. 35E309290N7779830) being Beacon B at the northwestern corner of the Gweta area as described in the Tribal Territories Act, indicated by an iron standard set in concrete marked 149; thence follows the said fence southwards (179^o) for app. 30km to a point marked NG/51/CT/7/CT/11 (app. coord. 35E309790N7749880), being Beacon C at the southwestern corner of the Gweta area as described in the Tribal Territories Act, indicated by an iron standard set in concrete marked 150; thence follows the said fence westwards (269^o) for app. 6km to a point marked NG/51/52/CT/9/CT/11 (app. coord. 35E303660N7749790) being the point of intersection of the cutline indicating the

Ngamiland and Central Districts boundary with the cutline indicating the eastern boundary of the Makgadikgadi Pans National Park, indicated by an iron standard set in concrete marked 151; thence follows the said cutline northwards (357°) for app. 15km to a point marked NG/51/52 (app. coord. 35E302890N7764380), being the point of intersection with the Nata/Maun road, indicated by an iron standard set in concrete marked 152; thence follows the said road westwards (262°) for app. 18km to a point marked NG/48/51/52 (app. coord. 35E285260N7761920), being the point of intersection with the Odiakwe BLDC ranch fence, indicated by an iron standard set in concrete marked 144; thence follows the said fence northwards (357°) for app. 18km to a point marked NG/48/51 (app. coord. 35E284420N7780280), being a point at a bend in the fence, indicated by an iron standard set in concrete marked 143; thence follows the said fence northeastwards (400) for app. 10km to the point of commencement.

52. Controlled Hunting Area NG/52

Commencing at a point marked NG/49/52, being the point of intersection of the Matime/Bushman Pits track with the Nata/Maun road (app. coord. 35E221770N7765930), indicated by an iron standard set in concrete marked 218, the boundary follows the said road eastwards (91°) for app. 81km to a point marked NG/51/52 (app. coord. 35E302890N7764380), being the point of intersection with a cutline, indicated by an iron standard set in concrete marked 152; thence follows the said cutline southwards (177°) for app. 15km to a point marked NG/51/52/CT/9/CT/11 (app. coord. 35E303660N7749790) being the point of intersection of cutlines indicating the Ngamiland and Central District boundaries, indicated by an iron standard set in concrete marked 151; thence follows a straight line westwards (264°) for app. 63km to a point marked NG/52/CT/8/CT/9 (app. coord. 35E240930N7743050), being the point of intersection with the thalweg of the Boteti River, indicated by an iron standard set in concrete marked 153; thence follows the said river northwestwards (304°) for app. 33km to a point marked NG/44/52/CT/8 (app. coord. 35E214110N7761410), being the point of intersection of the river with the Matime/Bushman Pits track, indicated by an iron standard set in concrete marked 142, thence follows the said track northeastwards (59°) for app. 9km to the point of commencement.”

- (b) by inserting, the words “CONTROLLED HUNTING AREA DESCRIPTIONS – CHOBE DISTRICT” as a heading, above the existing Controlled Hunting Area boundary descriptions for Chobe District (CH/1 to CH/13);
- (c) by inserting, immediately after the Controlled Hunting Area boundary descriptions for Central District (CT/1 to CT/5) the following new entries for the Controlled Hunting Area boundary descriptions for Ghanzi District (GH/1 to GH/14) –

“CONTROLLED HUNTING AREA DESCRIPTIONS – GHANZI DISTRICT

1. Controlled Hunting Area GH/1

Commencing at a point marked GH/1/NG/5 which is a gate post inscribed GH158 (app. coord. 34E499960N7678640), being a point at the intersection of the international boundary of Botswana with Namibia and the Ghanzi-Ngamiland District boundary, the boundary runs in a straight line due east (90°) following the Ghanzi-Ngamiland boundary for app. 100km to a point marked GH/1/2/NG/5 which is a gate post inscribed GH145 (app. coord. 34E599860N7677890), near the north-west corner of Farm 176-NL; thence south-westwards (189°) following the western boundary fence of Farms of 175-NL and 176 - NL for approx. 22km in a straight line to a point marked GH/1/2, which is a gate post inscribed GH/146 (app. coord. 34E596380N7656070), being a point on the south-west corner of Farm 175-NL ; thence westwards (273°) following the northern boundary fence of Farms 163-NK, 162-NK and 161-NK for approx. 17km to a point marked GH/1/2/A, which is a gate post inscribed GH147 (app. Coord. 34E579690N7656830), being a point on the north-west corner of Farm 161-NK; thence in a straight line southwards (178°) following the western boundary fence of Farm 161-NK for approx. 10km to a point marked GH/1/2/B, which is a gate post inscribed GH148 (app. coord. 34E580030N7646490), being a point on the north-east corner of Farm 160-NK;

thence in a straight line westwards (2690) following the northern boundary fence of Farms 160-NK, 159-NK and 158-NK for approx. 24km to a point marked GH/1/2/C which is a gate post inscribed GH149 (app. coord. 34E556450N7646050), being a point on the north-west corner of farm 158-NK; thence in a straight line southwards (182°) following the western boundary fence of Farm 158-NK for approx. 4km to a point marked GH/1/2/D which is a gate post inscribed GH150 (app. Coord. 34E556320N7641140); thence in a straight line westwards (267°) for approx. 11km to a point marked GH/1/2/E, which is a gate post inscribed GH151 (app. coord. 34E545730N7640620); thence in a straight line southwards (182°) for approx. 5km to a point marked GH/1/2/F, which is a gate post inscribed GH152 (app. coord. 34E545520N7635190), being a point on the north-west corner of Farm 157- NK; thence in a straight line westwards (266°) for approx. 24km to a point marked GH/1/2/G, which is a gate post inscribed GH153 (app. coord. 34E521520N7633660); thence in a straight line southwards (181°) for approx. 4km to a point marked GH/1/2/H which is a gate post inscribed GH154 (app. coord. 34E521460N7629600), being a point on the north west corner of Farm 154-NK; thence in a straight line westwards (2720) for approx. 9km to a point marked GH/1/2/I which is a gate post inscribed GH155 (app. Coord. 34E512320N7629960); thence in a straight line south-eastwards (1570) for approx. 4km to a point marked GH/1/2/J which is a gate post inscribed GH156 (app. Coord. 34E513950N7626100) on the north-west corner of Farm 152-NK; thence in a straight line south-westwards (248°) for approx. 15km to a point marked GH/1/2/K which is a gate post inscribed GH157 (app. Coord. 34E499960N7620500); thence in a straight line due north (0°) for approx. 58km to the point of commencement.

2. Controlled Hunting Area GH/ 2

Commencing at a point marked GH/2/3/NG/39 which is a gate post inscribed GH244 (app. Coord. 34E678520N7677130); being a point on the Ghanzi -Ngamiland District boundary on the north-east corner of Farm 192-NL; thence in a straight line southwards (174°) following the eastern boundary fence of Farm 192-NL for approx. 12km to a point marked GH/2/3 which is a gate post inscribed GH243 (app. Coord. 34E679710N7665210), being a point on the south-east corner of Farm 192-NL; thence in a straight line southwards (174°) following the eastern boundary fence of Farms 191-NL, 190-NL and 189-NL for approx. 27km to a point marked GH/2/3/A which is a gate post inscribed GH242 (app. cord. 34E682320N7638620), being a point on the south-east corner of Farm 189-NL; thence in a straight line westwards (272°) following the southern boundary fence of Farms 189-NL and 188 - NL for approx. 21km to a point marked GH/2/3/B which is a gate post inscribed GH241 (app. cord. 34E660840N7639510), being a point on the north-east corner of Farm 187-NL; thence in a straight line southwards (183°) following the eastern boundary fence of Farms 187-NL and 186-NL for approx. 16km to a point marked GH/2/3/C which is a gate post inscribed GH240 (app. Coord. 34E659880N7623320), being a point on the south-east corner of Farm 186-NL; thence in a straight line westwards (271°) following the southern boundary fence of Farm 186-NL for approx. 13km to a point marked GH/2/3/D which is a gate post inscribed GH239 (app. Coord. 34E647000N7623530), being a point on the south-west corner of Farm 186-NL; thence in a straight line south-westwards (1940) following the eastern boundary fence of Farm 185-NL for approx. 9km to a point marked GH/2/3/E which is a gate post inscribed GH238 (app. coord. 34E644870N7614870), being a point on the south-east corner of Farm 185-NL; thence in a straight line southwards (1830) following the eastern boundary fence of Farms 184-NL, 183-NL and 182-NL for approx. 20km to a point marked GH/2/3/F which is a gate post inscribed GH237 (app. coord. 34E643750N7594420), being a point on the south-east corner of Farm 182-NL; thence in a straight line southwards (1950) following the eastern boundary fence of Farm 181-NL for approx. 8km to a point marked GH/2/3/4 which is a gate post inscribed GH236 (app. coord. 34E641560N7586430), being a point on the

south-east corner of Farm 181-NL; thence in a straight line southward (191°) following the eastern boundary fence of Farms 180-NL for approx. 10km to a point marked GH/2/4 which is a gate post inscribed GH235 (app. coord. 34E639670N7576480), being a point on the south-east corner of Farm 180-NL; thence in a straight line westwards (270°) following the eastern boundary fence of Farm 180-NL, 179-NL, 178-NL, 177-NL and 175-NK for approx. 48km to a point marked GH/2/4/A which is a gate post inscribed GH2174C (app. coord. 34E592040N7576740), being a point on the north-east corner of Farm 174-NK; thence in a straight line southwards (178°) following the eastern boundary fence of Farm 174-NK for approx. 10km to a point marked GH/2/4/B, which is a gate post inscribed GH2174D (app. Coord. 34E592290N7566940), being a point on the south-east corner of Farm 174-NK; thence in a straight line westwards (274°) following the eastern boundary fence of Farm 174-NK for approx 11km to a point marked GH/2/4/9 which is a gate post inscribed GH2174E (app. Coord. 34E581810N7567750), being a point on the south-west corner of Farm 174-NK; thence in a straight line north-westwards (342°) following the eastern boundary fence of Farm 174-NK for approx. 9km to a point marked GH/2/9 which is a gate post inscribed GH2174A (app. coord. 34E579240N7575850), being a point on the north-east corner of Farm 174-NK; thence in a straight line westwards (270°) following the southern boundary fence of Farms 120-NK and 119-NK for approx. 6km to a point marked GH/2/9/A which is a gate post inscribed GH2RAD1 (app. coord. 34E573400N7575840); thence in a straight line southwards (155°) following the western boundary fence of Farm 173-NK for approx. 8km to a point marked GH/2/9/B which is a gate post inscribed GH2NK173E (app. coord. 34E576890N7568390); thence in a straight line south-westwards (253°) following the southern boundary fence of Farm 173-NK for approx. 9km to a point marked GH/2/9/C which is a gate post inscribed GH2NK173W (app. coord. 34E568630N7565900); thence in a straight line north-westwards (331°) following the western boundary fence of Farm 173-NK for approx. 13km to a point marked GH/2/9/D which is a gate post inscribed GH2NK173N (app. coord. 34E562490N7577000); thence in a straight line south-westwards (210°) for approx. 14km to a point marked GH/2/9/E which is a gate post inscribed GH263 (app. Ccoord. 34E555370N7564640); thence in a straight line south-westwards (237°) for approx. 11km to a point marked GH/2/9/F which is a gate post inscribed GH264 (app. Coord. 34E546340N7558780); thence in a straight line westwards (266°) for approx. 23km to a point marked GH/2/9/G which is a gate post inscribed GH265 (app. Coord. 34E523200N7557110); thence in a straight line southwards (174°) for approx. 2km to a point marked GH/2/9/H which is a gate post inscribed GH266 (app. coord. 34E523450N7554770); thence in a straight line westwards (261°) for approx. 7km to a point marked GH/2/9/I which is a gate post inscribed GH267 (app. coord. 34E516390N7553630); thence in a straight line due north (0°) for approx. 1km to a point marked GH/2/9/J which is a gate post inscribed GH268 (app. Coord. 34E516390N7554900); thence in a straight line westwards (262°) following the southern boundary fence of Chobokwane Government Ranch and Farm 2-MK for approx. 10km to a point marked GH/2/9/K, which is a gate post inscribed GH269 (app. coord. 34E506340N7553460), being a point on the south-east corner of Farm 1-MK; thence in a straight line westwards (262°) following the southern boundary fence of Farm 1-MK for approx. 7km to a point marked GH/2/9/L which is a gate post inscribed GH271 (app. coord. 34E499890N7552540), being a point on the south-east corner of Farm 2-MK; thence in a straight line due north (0°) following the international boundary of Botswana with Namibia for approx. 15km to a point marked GH/2/9/M which is a gate post inscribed GH214 (app. coord. 34E499930N7567410), being a point on the said boundary; thence in a straight line due north (0°) following the international boundary of Botswana with Namibia for approx. 53km to a point marked GH/1/2/K which is a gate post inscribed GH157 (app. coord. 34E499960N7620500), being a point on the said boundary; thence in a straight line north-eastwards (68°) for approx. 15km to a point marked GH/1/2/J which is a gate post inscribed GH156 (app. Coord. 34E513950N7626100), being a point on the north-west corner of Farm 152-NK; thence in a straight line north-westwards

(337°) for approx. 4km to a point marked GH/1/2/I which is a gate post inscribed GH155 (app. Coord. 34E512320N7629960); thence in a straight line eastwards (92°) for approx. 9km to a point marked GH/1/2/H which is a gate post inscribed GH154 (app. coord. 34E521460N7629600), being a point on the north-west corner of Farm 152-NK; thence in a straight line northwards (1°) for approx. 4km to a point marked GH/1/2/G, which is a gate post inscribed GH153 (app. coord. 34E521520N7633660); thence in a straight line eastwards (86°) for approx. 24km to a point marked GH/1/2/F which is a gate post inscribed GH152 (app. coord. 34E545520N7635190), being a point on the north-west corner of farm 154-NK; thence in a straight line northwards (20°) for approx. 5km to a point marked GH/1/2/E which is a gate post inscribed GH151 (app. coord. 34E545730N7640620); thence in a straight line eastwards (87°) for approx. 11km to a point marked GH/1/2/D, which is a gate post inscribed GH150 (app. coord. 34E556320N7641140); thence in a straight line northwards (20°) following the western boundary fence of Farm 158-NK for approx. 5km to a point marked GH/1/2/C, which is a gate post inscribed GH151 (app. Coord. 34E556450N7646050), being a point on the north-west corner of Farm 158-NK; thence in a straight line eastwards (87°) following the northern boundary fence of Farms 158-NK, 159-NK and 160-NK for approx. 24km to a point marked GH/1/2/B, which is a gate post inscribed GH148 (app. coord. 34E580030N7646490), being a point on the north-east corner of Farm 160-NK; thence in a straight line northwards (358°) following the western boundary fence of Farm 161-NK for approx. 10km to a point marked GH/1/2/A which is a gate post inscribed GH147 (app. coord. 34E579690N7656830), being a point on the north-west corner of Farm 161-NK; thence in a straight line eastwards (93°) following the northern boundary fence of Farms 161-NK, 162-NK and 163-NK for approx. 17km to a point marked GH/1/2 which is a gate post inscribed GH146 (app. coord. 34E596380N7656070) near the north-west corner of Farm 175-NL; thence in a straight-line northwards (9°) following the western boundary fence of Farms 175-NL and 176-NL for approx. 22km to a point marked GH/1/2/NG/5 which is a gate post inscribed GH145 (app. coord. 34E599860N7677890) near the north-west corner of Farm 176-NL; thence in a straight line eastwards (91°) following the Ghanzi-Ngamiland District Boundary for approx. 79km to the point of commencement.

3. *Controlled Hunting Area GH/ 3*

Commencing at a point marked GH/3/12/NG/39 which is a gate post inscribed GH35 (app. coord. 34E686870N7676990), being a point on the Ghanzi-Ngamiland District Boundary; thence in a straight line southwards (181°) following a cutline on the western edge of the Central Kalahari Game Reserve for approx. 153km to a point marked GH/3/10/12 which is a gate post inscribed GH37 (approx. coord. 34E685090N7524170); thence in a straight line north-westwards (289°) for approx. 110km to a point marked GH/3/4/9/10 which is a gate post inscribed GH376 (app. coord. 34E581320N7559430); thence in a straight line eastwards (92°) for approx. 11km to a point marked GH/3/4B which is a gate post inscribed GH375 (app. coord. 34E592340N7559100); thence in a straight line eastwards (82°) for approx. 51km to a point marked GH/3/4/A which is a gate post inscribed GH373 (app. coord. 34E642840N7565830); thence in a straight line westwards (264°) for approx. 6km to a point marked GH/2/3/4 which is a gate post inscribed GH236 (app. coord. 34E641560N7586430), being a point on the south-east corner of Farm 181-NL; thence in a straight line northwards (15°) following the eastern boundary fence of Farm 181-NL for approx. 8km to a point marked GH/2/3/F which is a gate post inscribed GH237 (app. coord. 34E643750N7594420), being a point on the south-east corner of Farm 182-NL; thence in a straight line northwards (3°) following the eastern boundary fence of Farms 182-NL, 183-NL and 184-NL for approx. 20km to a point marked GH/2/3/E which is a gate post inscribed GH238 (app. Coord. 34E644870N7614870), being a point on the south-east corner of Farm 185-NL; thence in a straight line north-eastwards (140°) following the eastern boundary fence of Farm 185-NL

for approx. 9km to a point marked GH/2/3/D which is a gate post inscribed GH239 (app. Coord. 34E647000N7623530), being a point on the south-west corner of Farm 186-NL; thence in a straight line eastwards (91°) following the southern boundary fence of Farm 186-NL for approx. 13km to a point marked GH/2/3/C, which is a gate post inscribed GH240 (app. coord. 34E659880N7623320), being a point on the south-east corner of Farm 186-NL; thence in a straight line northwards (3°) following the eastern boundary fence of Farm 186-NL and 187-NL for approx. 16km to a point marked GH/2/3/B which is a gate post inscribed GH241 (app. coord. 34E660840N7639510), being a point on the north-east corner of Farm 187-NL; thence in a straight line eastwards (92°) following the southern boundary fence of Farms 188-NL and 189-NL for approx. 21km to a point marked GH/2/3/A which is a gate post inscribed GH242 (app. coord. 34E682320N7638620), being a point on the south-east corner of Farm 189-NL; thence in a straight line northwards (3540) following the eastern boundary fence of Farms 189-NL, 190-NL, 191-NL and 192-NL for approx. 27km to a point marked GH/2/3 which is a gate post inscribed GH243 (app. coord. 34E679710N7665210), being a point on the south-east corner of Farm 192-NL; thence in a straight line northwards (3540) following the eastern boundary fence of Farm 192-NL for approx. 12km to a point marked GH/2/3/NG/39 which is a gate post inscribed GH244 (app. Coord. 34E678520N7677130), being a point on Ghanzi-Ngamiland District boundary; thence in a straight line eastwards (910) following the Ghanzi-Ngamiland District Boundary for approx. 8km to the point of commencement.

4. Controlled Hunting Area GH/4

Commencing at a point marked GH/2/4/A which is a gate post inscribed GH2174C (app. Coord. 34E592040N7576740) on the north-east corner of Farm 174-NK; thence in a straight line due east (90°) following the southern boundary fence of Farms 175-NK, 177-NL, 178-NL, 179-NL and 180-NL for approx. 48km to a point marked GH/2/4 which is a gate post inscribed GH235 (app. Coord. 34E639670N7576480), being a point on the south-east corner of Farm 180-NL; thence in a straight line northwards (11°) following the eastern boundary fence of Farm 180-NL for approx. 10km to a point marked GH/2/3/4 which is a gate post inscribed GH236 (app. coord. 34E641560N7586430), being a point on the south-east corner of Farm 181-NL; thence in a straight line eastwards (84°) for approx. 6km to a point marked GH/3/4 which is a gate post inscribed GH327 (app. Coord. 34E647090N7587030); thence in a straight line southwards (191°) for approx. 22km to a point marked GH/3/4/A which is a gate post inscribed GH373 (app. Coord. 34E642840N7565830); thence in a straight line westwards (262°) for approx. 51km to a point marked GH/3/4/B which is a gate post inscribed GH375 (app. coord. 34E592340N7559100); thence in a straight line westwards (2720) for approx. 11km to a point marked GH/3/4/9/10 which is a gate post inscribed GH376 (app. coord. 34E581320N7559430); thence in straight line northwards (3°) for approx. 8km to a point marked GH/2/4/9 which is a gate post inscribed GH2174E (app. coord. 34E581810N7567750), being a point on the south-west corner of Farm 174-NK; thence in a straight line eastwards (94°) following the southern boundary fence of Farm 174-NK for approx. 11km to a point marked GH/2/4/B which is a gate post inscribed GH2174D (app. coord. 34E592290N7566940), being a point on the south-east corner of Farm 174-NK; thence in a straight line northwards (3580) following the eastern boundary fence of Farm 174-NK for approx. 10km to the point of commencement.

5. Controlled Hunting Area GH/5

Commencing at a point marked GH/5 which is a gate post inscribed GH141 (app. coord. 34E396740N7566480), being a point on the international boundary of Botswana with Namibia; thence in a straight line due east (90°) following the international boundary of Botswana with Namibia for approx. 54km to a point marked GH/5/9 which is a gate post inscribed GH5142 (app. coord. 34E450540N7566760), being a point on the said boundary; thence in a straight line southwards (182°) following the eastern boundary fence of Farms 192-MJ, 193-MJ, 194-

MJ and 195-MJ for approx. 25km to a point marked GH/5/6/9 which is a gate post inscribed GH5143 (app. coord. 34E449690N7541940), being a point on the south-east corner of Farm 195-MJ; thence in a straight line westwards (271°) following the southern boundary fence of Farm 195-MJ for approx. 6km to a point marked GH/5/6 which is a gate post inscribed GH5144 (app. coord. 34E443800N7542060), being a point on the south-west corner of Farm 195-MJ; thence in a straight line southwards (179°) following the eastern boundary fence of farms 197-MJ, for approx. 6km to a point marked GH/5/6/A which is a gate post inscribed GH5145 (app. coord. 34E443920N7535770), being a point on the south-east corner of Farm 197-MJ; thence in a straight line south-westwards (257°) following the southern boundary fence of Farm 197-MJ for approx. 5km to a point marked GH/5/6/B, which is a gate post inscribed GH5146 (app. coord. 34E438610N7534580), being a point on the south-west corner of Farm 197-MJ; thence in a straight line north-westwards (344°) following the western boundary fence of Farm 197-MJ for approx. 7km to a point marked GH/5/6/C, which is a gate post inscribed GH5147 (app. coord. 34E436710N7541100), being a point on the north-west corner of Farm 197-MJ; thence in a straight line south-westwards (255°) following the southern boundary fence of Farms 190-MJ and 191-MJ for approx. 11km to a point marked GH/5/6/D, which is a gate post inscribed GH5148 (app. coord. 34E425680N7538170), being a point on the south-west corner of Farm 191-MJ; thence in a straight line northwards (353°) following the western boundary fence of Farms 191-MJ, for approx. 6km to a point marked GH/5/6/E which is a gate post inscribed GH5149 (app. coord. 34E424890N7544330), being a point on the north-west corner of Farm 191-MJ; thence in a straight line south-westwards (249°) following the eastern boundary fence of Farms 183-MJ, 177-MJ and 176-MJ for approx. 20km to a point marked GH/5/6/F which is a gate post inscribed GH5150 (app. Coord. 34E406380N7537200), being a point on the south-west corner of Farm 176-MJ; thence in a straight line south-westwards (263°) following the southern boundary fence of Farm 167-MJ, for approx. 10km to a point marked GH/5/6/G which is a gate post inscribed GH5140 (app. coord. 34E396940N7536080), being a point on the international boundary of Botswana with Namibia; thence in a straight line due north (0°) following the international boundary of Botswana with Namibia for approx. 30km to the point of commencement.

6. Controlled Hunting Area GH/6

Commencing at a point marked GH/5/6/G, which is a gate post inscribed GH5140 (app. Coord. 34E396940N7536080), being a point on the international boundary of Botswana with Namibia; thence in a straight line eastwards (83°) following the southern boundary fence of Farm 167-MJ for approx. 10km to a point marked GH/5/6/F, which is a gate post inscribed GH5150 (app. coord. 34E406380N7537200), being a point on the south-west corner of Farm 176-MJ; thence in a straight line north-eastwards (69°) following the southern boundary fence of Farm 176-MJ, 177-MJ and 183-MJ for approx. 20km to a point marked GH/5/6/E which is a gate post inscribed GH5149 (app. coord 34E424890N7544330), being a point on the north-west corner of Farm 191-MJ; thence in a straight line southwards (173°) following the western boundary fence of Farm 191-MJ for approx. 6km to a point marked GH/5/6/D which is a gate post inscribed GH5148 (app. coord. 34E425680N7538170), being a point on the south-west corner of Farm 191-MJ; thence in a straight line north-eastwards (75°) following the southern boundary fence of Farms 191-MJ and 190-MJ for approx 11km to a point marked GH/5/6/C, which is a gate post inscribed GH5147 (app. coord. 34E436710N7541100), being a point on the northwest corner of Farm 197-MJ; thence in a straight line south-eastwards (164°) following the western boundary fence of farm 197-MJ for approx. 7km to a point marked GH/5/6/B, which is a gate post inscribed GH5146 (app. Coord. 34E438610N7534580), being a point on the south-west corner of Farm 197-MJ; thence in a straight line eastwards (77°) following the southern boundary fence of Farm 197-MJ for approx. 5km to a point marked GH/5/6/A which is a gate post inscribed GH5145 (app. coord. 34E443920N7535770), being a point on the

south-east corner of Farm 197-MJ; thence in a straight line northwards (3590) following the eastern boundary fence of Farm 197-MJ for approx. 6km to a point marked GH/5/6 which is a gate post inscribed GH5144 (app. coord. 34E443800N7542060), being a point on the south-west corner of Farm 195-MJ; thence in a straight line eastwards (910) following the southern boundary fence of Farm 197-MJ for approx 6km to a point marked GH/5/6/9 which is a gate post inscribed GH5143 (app. coord. 34E449690N7541940), being a point on the south-east corner of Farm 195-MJ; thence curvilinear for approx. 9km southwards to a point marked GH/6/9 which is a gate post inscribed GH6151 (app. Coord. 34E452950N7533220) following the road between the two points; thence in a straight line eastwards (95⁰) for approx. 19km to a point marked GH/6/9/A which is a gate post inscribed GH6151 (app. Coord. 34E472290N7531520); thence in a straight line southwards (176⁰) for approx. 68km to a point marked GH/6/9/14 which is a gate post inscribed GH6/113 (app. coord. 34E476860N7463460); thence in a straight line westwards (2690) following the northern boundary fence of Farms 4-LJ, 3-LJ, 2-LJ and 1-LJ for approx 33km to a point marked GH/6/14 which is a gate post inscribed GH6112 (app. coord. 34E444200N7462850), being the north-west corner of Farm 1-LJ; thence in a straight line south-eastwards (163⁰) following the western boundary fence of Farms 1-LJ and 8-LJ; for approx 15km to a point marked GH/6/14/A which is a gate post inscribed GH6114 (app. coord. 34E448550N7448550), being the south-west boundary fence of Farm 8-LJ; thence in a straight line southwards (177⁰) following the western boundary fence of Farm 15-LJ for approx. 8km to a point marked GH/6/14/B which is a gate post inscribed GH6111 (app. Coord. 34E449000N7440560), being the south-west boundary fence of Farm 15-LJ; thence in a straight line eastwards (87⁰) following the southern boundary fence of Farms 15-LJ for approx. 8km to a point marked GH/6/14/C, which is a gate post inscribed GH6110 (app. coord. 34E457030N7440960), being the south-east boundary fence of Farm 15-LJ; thence in a straight line southwards (175⁰) following the western boundary fence of Farm 22-LJ for approx. 10km to a point marked GH/6/13/14 which is a gate post inscribed GH6109 (app. coord. 34E457930N7431040), being the south-west boundary fence of Farm 22-LJ; thence in a straight line southwards (178⁰) for approx. 10km to a point marked GH/6/13/ KD/1 which is a gate post inscribed GH6108 (app. coord. 34E458300N7421240), being a point on the Ghanzi-Kgalagadi District Boundary; thence in a straight line westwards (270⁰) following the cutline of the Ghanzi-Kgalagadi District Boundary for approx. 61km to a point marked GH/6/KD/1 which is a gate post inscribed GH6KG1A (app. coord. 34E397720N7420950), being a point at the intersection of the international boundary of Botswana with Namibia and the Ghanzi-Kgalagadi District Boundary; thence in a straight line due north (0⁰) following the international boundary of Botswana with Namibia for approx. 73km to a point marked GH/6/7 which is a gate post inscribed GH6124 (app. coord. 34E397760N7493830) being a point on the said boundary; thence in a straight line eastwards (93⁰) following the southern boundary fence of the TGLP ranches on GH/7 for approx. 20km to a point marked GH/6/7/A which is a gate post inscribed GH6123 (app. coord. 34E417850N7492800); thence in a straight line due north (00) following the eastern boundary fence of the TGLP ranches on GH/7 for approx. 6km to a point marked GH/6/7/B which is a gate post inscribed GH6122 (app. coord. 34E417840N7498320); thence in a straight line westwards (272⁰) following the northern boundary fence of the TGLP on ranches on GH/7 for approx. 13km to a point marked GH/6/7/C which is a gate post inscribed GH6121 (app. coord. 34E405210N7498700); thence in a straight line northwards (3⁰) following the eastern boundary fence of the TGLP on ranches on GH/7 for approx 5km to a point marked GH/6/7/D which is a gate post inscribed GH6120 (app. Coord. 34E405430N7503340); thence in a straight line westwards (272⁰) following the northern boundary fence of the TGLP ranches on GH/7 for approx 8km to a point marked GH/6/7/E which is a gate post inscribed GH6125 (app. Coord. 34E397180N7503600), being a point on the international boundary of Botswana with Namibia; thence in a straight line due north (0⁰) following the international boundary of Botswana with Namibia for approx. 32km to the point of commencement. The total area covered by GH6 excludes GH/8 which is completely surrounded by the former.

7. Controlled Hunting Area GH/7

Commencing at a point marked GH/6/7/E which is a gate post inscribed GH6125 (app. coord. 34E397180N7503600) on the international boundary of Botswana with Namibia; thence in a straight line eastwards (92°) following the northern boundary fence of the TGLP ranches for approx. 8km to a point marked GH/6/7/D which is a gate post inscribed GH6120 (app. coord. 34E405430N7503340) thence in a straight line southwards (183°) following the eastern boundary fence of the TGLP ranches for approx. 5km to a point marked GH/6/7/C, which is a gate post inscribed GH5121 (app. coord. 34E405210N7498700.); thence in a straight line eastwards (92°) following the northern boundary fence of the TGLP ranches for approx. 13km to a point marked GH/6/7/B which is a gate post inscribed GH6122 (app. coord. 34E417840N7498320); thence in a straight line due south (180°) following the eastern boundary fence of the TGLP ranches for approx. 6km to a point marked GH/6/7/A which is a gate post inscribed GH6123 (app. coord. 34E417850N7492800); thence in a straight line westwards (273°) following the southern boundary fence of the TGLP ranches for approx. 20km to a point marked GH/6/7 which is a gate post inscribed GH6124 (app. coord. 34E397760N7493830); thence in a straight line northwards (357°) following the international boundary of Botswana with Namibia for approx. 10km to the point of commencement.

8. Controlled Hunting Area GH/8

Commencing at a point marked GH/8/6 which is a gate post inscribed GH8128 (app. coord. 34E427980N7511640); thence in a straight line due east (90°) following the northern boundary fence of the TGLP ranches for approx. 18km to a point marked GH/8/6/A which is a gate post inscribed GH8129 (app. coord. 34E446340N7511600); thence in a straight line southwards (182°) following the eastern boundary fence of the TGLP ranches for approx 7km to a point marked GH/8/6/B, which is a gate post inscribed GH8130 (app. coord. 34E446040N7504290); thence in a straight line westwards (270°) following the southern boundary fence of the TGLP ranches for approx. 7km to a point marked GH/8/6/C, which is a gate post inscribed GH8131 (app. coord. 34E438720N7504240); thence in a straight line southwards (181°) following the eastern boundary fence of the TGLP ranches for approx. 8km to a point marked GH/8/6/D, which is a gate post inscribed GH8132 (app. coord. 34E438570N7495770); thence in a straight line due west (270°) following the southern boundary fence of the TGLP ranches for approx. 17km to a point marked GH/8/6/E, which is a gate post inscribed GH8133 (app. Coord. 34E421660N7495750); thence in a straight line northwards (348°) following the western boundary fence of the TGLP ranches for approx. 9km to a point marked GH/8/6/F which is a gate post inscribed GH8126 (app. coord. 34E419920N7504140); thence in a straight line due east (90°) following the northern boundary fence of the TGLP ranches for approx. 7km to a point marked GH/8/6/G, which is a gate post inscribed GH8127 (app. coord. 34E427010N7504130); thence in a straight line northwards (7°) following the western boundary fence of the TGLP ranches for approx. 8km to the point of commencement. This controlled Hunting Area is completely surrounded by CH/6.

9. Controlled Hunting Area GH/9

Commencing at a point marked GH/5/9 which is a gate post inscribed GH5142 (app. coord. 34E450540N7566760) on the international boundary of Botswana with Namibia; thence in a straight line eastwards (89°) following the international boundary of Botswana with Namibia for approx. 49km to a point marked GH/2/9/M which is a gate post inscribed GH214 (app. coord. 34E499930N7567410) on the said boundary; thence in a straight line due south (180°) following the western boundary fence of Farm 1-MK for approx. 15km to a point marked GH/2/9/L which is a gate post inscribed GH271 (app. coord. 34E499890N7552540), being a point on the south-west corner of Farm 1-MK; thence in a straight line eastwards (82°) following the southern boundary fence of Farm 1-MK for approx. 7km to a point marked GH/2/9/K which is a gate post inscribed GH269 (app. coord. 34E506340N7553460), being a point on the south-west corner of Farm 2-

MK; thence in a straight line eastwards (82°) following the southern boundary fence of Farm 2-MK for approx. 10km to a point marked GH/2/9/J which is a gate post inscribed GH268 (app. Coord. 34E516390N7554900), being a point on the south-east corner of Farm 2-MK; thence in a straight line due south (180°) for approx. 1km to a point marked GH/2/9/I which is a gate post inscribed GH267 (app. coord. 34E516390N7553630); thence in a straight line eastwards (82°) for approx. 7km to a point marked GH/2/9/H which is a gate post inscribed GH266 (app. coord. 34E523450N7554770); thence in a straight line northwards (354°) for approx. 2km to a point marked GH/2/9/G, which is a gate post inscribed GH265 (app. coord. 34E523200N7557110); thence in a straight line eastwards (860) for approx. 23km to a point marked GH/2/9/F, which is a gate post inscribed GH264 (app. Coord. 34E546340N7558780); thence in a straight line northeastwards (57°) for approx. 11km to a point marked GH/9/2/E, which is a gate post inscribed GH263 (app. coord. 34E555370N7564640); thence in a straight line northeastwards (30°) for approx. 14km to a point marked GH/2/9/D, which is a gate post inscribed GH2NK173N (app. Coord. 34E562490N7577000), being the north-west corner of Farm 173-NK; thence in a straight line south-eastwards (1510) following the western boundary fence of Farm 173-NK for approx. 13km to a point marked GH/2/9/C which is a gate post inscribed GH2NK173W (app. coord. 34E568630N7565900), being the southwest corner of Farm 173-NK; thence in a straight line north-eastwards (73°) following the southern boundary fence of Farm 173-NK for approx. 9km to a point marked GH/2/9/B which is a gate post inscribed GH2NK173E (app. coord. 34E576890N7568390), being the south-east corner of Farm 173-NK; thence in a straight line north-westwards (335°) following the eastern boundary fence of Farm 173-NK for approx. 8km to a point marked GH/2/9/A which is a gate post inscribed GH2RAD1 (app. coord. 34E573400N7575840), being the north-west corner of Farm 173-NK; thence in a straight line due east (90°) following the western boundary fence of Farm 119-NK and 120-NK for approx. 6km to a point marked GH/2/9 which is a gate post inscribed GH2174A (app. coord. 34E579240N7575850), being the north-west corner of Farm 174-NK; thence in a straight line south-eastwards (162°) following the western boundary fence of Farm 174-NK for approx. 9km to a point marked GH/2/4/9 which is a gate post inscribed GH2174E (app. coord. 34E581810N7567750), being the south-east corner of Farm 174-NK ; thence in a straight line southwards (1830) for approx. 8km to a point marked GH/3/4/9/10 which is a gate post inscribed GH376 (app. Coord. 34E581320N7559430); thence in a straight line south-eastwards (169°) following the Old Ghanzi to Kang road for approx. 68km to a point marked GH/9/10/11 which is a gate post inscribed GH981 (app. Coord. 34E594540N7492970); thence in a straight line due west (270°) for approx. 94km to a point marked GH/9/11 which is a gate post inscribed GH9100 (app. Coord. 34E500750N7493490); thence in a straight line southwards (181°) for approx. 29 km to a point marked GH/9/11/14 which is a gate post inscribed GH9101 (app. coord. 34E500030N7464750); thence in a straight line westwards (2670) following the northern boundary fence of Farms 7-LJ, 6-LJ, 5-LJ and 4-LJ for approx. 23km to a point marked GH/6/9/14 which is a gate post inscribed GH6113 (app. coord 34E476860N7463460); thence in a straight line northwards (356°) for approx. 68km to a point marked GH/6/9/A which is a gate post inscribed GH6152 (app. coord. 34E472290N7531520); thence in a straight line westwards (275°) for approx. 19km to a point marked GH/6/9 which is a gate post inscribed GH6151 (app. coord. 34E452950N7533220); thence curvilinearly for approx. 9km northwards to a point marked GH/5/6/9 which is a gate post inscribed GH6143 (app. coord. 34E449690N7541940) following the road between the two points; thence in a straight line northwards (2°) following the eastern boundary fence of Farms 195-MJ, 194-MJ, 193-MJ and 192-MJ for approx. 25km to the point of commencement.

10. *Controlled Hunting Area GH/10*

Commencing at a point marked GH/3/4/9/10 which is a gate post inscribed GH376 (app. coord 34E581320N7559430); thence in a straight line south-eastwards (109°) for approx. 110km to a point marked GH/3/10/12 which is a gate post inscribed GH37 (app. coord. 34E685090N7524170); thence in a straight line southwards (181°) following the western edge of the Central Kalahari Game Reserve for approx 104km to a point marked GH/10/12/KD/13 which is a gate post inscribed GH104 (app. Coord. 34E683740N7420050); thence in a straight line westwards (271°) following a cutline for approx. 35km to a point marked GH/10/11/KD/13/13 which is a gate post inscribed GH1080 (app. coord. 34E648630N7420430); thence in a straight line north-westwards (323°) following the old Ghanzi to Kang road for approx. 90km to a point marked GH/9/10/11 which is a gate post inscribed GH981 (app. Coord. 34E594540N7492970); thence in a straight line north-westwards (349°) following the old Ghanzi to Kang road for approx. 68km to the point of commencement.

11. *Controlled Hunting Area GH/11*

Commencing at a point marked GH/9/11 which is a gate post inscribed GH9100 (app. coord. 34E500750N7493490); thence in a straight line due east (90°) for approx. 94km to a point marked GH/9/10/11 which is a gate post inscribed GH981 (app. coord. 34E594540N7492970); thence in a straight line south-eastwards (143°) following the old Ghanzi to Kang road for approx. 90km to a point marked GH/10/11/KD/13/13 which is a gate post inscribed GH1080 (app. coord. 34E648630N7420430); thence in a straight line westwards (270°) following the cutline for the Ghanzi-Kgalagadi District Boundary for approx. 158km to a point marked GH/11/13/KD/1 which is a gate post inscribed GH11107 (app. coord. 34E490910N7421370); thence in a straight line northwards (358°) for approx. 11km to a point marked GH/11/13/14 which is a gate post inscribed GH11106 (app. Coord. 34E490530N7432730); thence in a straight line northwards (355°) following the eastern boundary fence of Farm 25-LJ for approx. 7km to a point marked GH/11/14 which is a gate post inscribed GH11105 (app. coord. 34E489940N7439860); thence in a straight line eastwards (85°) following the southern boundary fence of Farms 20-LJ and 21-LJ for approx. 16km to a point marked GH/11/14/A which is a gate post inscribed GH11104 (app. coord. 34E505400N7440980); thence in a straight line northwards (357°) following the eastern boundary fence of the Ncojane leasehold farms for approx. 15km to a point marked GH/11/14/B, which is a gate post inscribed GH11103 (app. coord. 34E504500N7456730); thence in a straight line westwards (267°) following the northern boundary fence of the Ncojane leasehold farms for approx. 4km to a point marked GH/11/14/C, which is a gate post inscribed GH11102 (app. coord. 34E500750N7456560); thence in a straight line northwards (355°) following the eastern boundary fence of the Ncojane leasehold farms for approx. 8km to a point marked GH/9/11/14 which is a gate post inscribed GH9101 (app. coord. 34E500030N7464750); thence in a straight line northwards (1°) for approx. 29km to the point of commencement.

12. *Controlled Hunting Area GH/12*

Commencing at a point marked GH/3/12/NG/39 which is a gate post inscribed GH35 (app. coord. 34E686870N7676990), being a point at the intersection of Ghanzi-Ngamiland District Boundary and the eastern edge of the Central Kalahari Game Reserve; thence in a straight line eastwards (91°) following the said boundary for approx. 113km to a point marked GH/12/NG/39/CT/8 which is a gate post inscribed GH121 (app. coord. 34E799920N7675300), being the north-east corner of the said game reserve; thence in a straight line south-eastwards (145°) for approx. 270km to a point marked GH/12/CT/25/KW/12 which is a gate post inscribed GH122 (app. coord. 34E956250N7455700), being the south-east corner of the said game reserve; thence in a straight line south-westwards (209°) following the cutline of the south-eastern edge of the Central Kalahari Game Reserve for approx. 47km to a point marked GH/12/KW/12 which is a gate post inscribed GH123 (app. coord. 34E933730N7414860), being a point on the Ghanzi-Kweneng District Boundary; thence in a straight line westwards (271°) following the cutline of the southern edge of the Central Kalahari Game Reserve for approx. 250km to a point marked GH/10/12/KD/13 which is a gate post inscribed GH124 (app. Coord. 34E683740N7420050), being a point on the Ghanzi-Kweneng District Boundary; thence in a straight-line northwards (1°) following the cutline of the western edge of the Central Kalahari Game Reserve for approx. 104km to a point marked GH/3/10/12 which is a gate post inscribed GH37 (app. Coord. 34E685090N7524170); thence in a straight-

line northwards (1°) following the cutline of the western edge of the Central Kalahari Game Reserve for approx. 153km to the point of commencement. This controlled Hunting Area is also known as the Central Kalahari Game Reserve.

13. *Controlled Hunting Area GH/13*

Commencing at a point marked GH/6/13/14 which is a gate post inscribed GH6109 (app. coord. 34E457930N7431040), being the south-west corner of Farm 22-LJ; thence in a straight line eastwards (87°) following the southern boundary fence of farms 22-LJ, 23-LJ, 24-LJ and 25-LJ for approx. 33km to a point marked GH/11/13/14 which is a gate post inscribed GH1106 (app. coord. 34E490530N7432730), being the south-east corner of Farm 25-LJ; thence in a straight line southwards (178°) for approx. 11km to a point marked GH/11/13/KD1 which is a gate post inscribed GH1107 (app. coord. 34E490910N7421370), being a point on the Ghanzi-Kgalagadi District Boundary; thence in a straight line due west (270°) following the cutline of the Ghanzi-Kgalagadi District Boundary for approx. 33km to a point marked GH/6/13/KD1 which is a gate post inscribed GH6108 (app. coord. 34E458300N7421240), being a point on the said boundary; thence in a straight line northwards (358°) for approx. 10km to the point of commencement.

14. *Controlled Hunting Area GH/14* Commencing at a point marked GH/6/14 which is a gate post inscribed GH6112 (app. coord. 34E444200N7462850); thence in a straight line eastwards (89°) following the northern boundary fence of Farms 1-LJ, 2-LJ, 3-LJ and 4-LJ for approx. 33km to a point marked GH/6/9/14 which is a gate post inscribed GH6113 (app. coord. 34E476860N7463460), being the north-west corner of Farm 1-LJ; thence in a straight line eastwards (87°) following the northern boundary fence of Farms 4-LJ, 5-LJ, 6-LJ and 7-LJ for approx. 23km to a point marked GH/9/11/14 which is a gate post inscribed GH9101 (app. coord. 34E500030N7464750); thence in a straight line southwards (175°) following the eastern boundary fence of the Ncojane Freehold Farms for approx. 8km to a point marked GH/11/14/C, which is a gate post inscribed GH11102 (app. coord. 34E500750N7456560); thence in a straight line eastwards (87°) following the northern boundary fence of the Ncojane Freehold Farms for approx. 4km to a point marked GH/11/14/B, which is a gate post inscribed GH11103 (app. coord. 34E504500N7456730); thence in a straight line southwards (177°) following the eastern boundary fence of the Ncojane Farms for approx. 16km to a point marked GH/11/14/A, which is a gate post inscribed GH11104 (app. coord. 34E505400N7440980); thence in a straight line westwards (265°) following the southern boundary fence of Farms 21-LJ and 20-LJ for approx. 15km to a point marked GH/11/14 which is a gate post inscribed GH11105 (app. coord. 34E489940N7439860), being the south-west corner of Farm 20-LJ; thence in a straight line southwards (175°) following the eastern boundary fence of Farm 25-LJ for approx. 7km to a point marked GH/11/13/14 which is a gate post inscribed GH11106 (app. coord. 34E490530N7432730), being the south-east corner of Farm 25-LJ; thence in a straight line westwards (267°) following the southern boundary fence of Farms 25-LJ, 24-LJ, 23-LJ and 22-LJ for approx. 33km to a point marked GH/6/13/14 which is a gate post inscribed GH6109 (app. coord. 34E457930N7431040), being the south-west corner of Farm 22-LJ; thence in a straight line northwards (355°) following the western boundary fence of Farm 22-LJ for approx. 10km to a point marked GH/6/14/C, which is a gate post inscribed GH6110 (app. coord. 34E457030N7440960), being the north-west corner of Farm 22-LJ; thence in a straight line westwards (267°) following the southern boundary fence of Farm 15-LJ for approx. 8km to a point marked GH/6/14/B, which is a gate post inscribed GH6111 (app. coord. 34E449000N7440560), being the south-west corner of Farm 15-LJ; thence in a straight line northwards (357°) following the western boundary fence of Farm 15-LJ for approx. 8km to a point marked GH/6/14/A, which is a gate post inscribed GH6114 (app. coord. 34E448550N7448550), being the north-west corner of Farm 15-LJ; thence in a straight line north-westwards (343°) following the western boundary fence of Farms 8-LJ and 1-LJ for approx. 15km to the point of commencement.”

MADE this 17th day of September, 2007.

KITSO MOKAILA,
*Minister for Environment, Wildlife
and Tourism.*